Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

JSK

DECK LOG BOOK

OF THE

U.S.S. ABNAKI (ATF-96)

IDENTIFICATION NUMBER

COMMANDED BY

Stanislaus J. SOWINSKI, LCDR, U. S. N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
U. S. PACIFIC Fleet,
____ Naval District,

Commencing 0001 1 June (zone time and date), 19 62 ,

at Pearl Harbor, Hawaii (location),

and ending 2400 30 June (zone time and date), 19 62 ,

at Pearl Harbor, Hawaii (location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63074

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ _____ _____, 19____
(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION + 10 DATE FRIDAY (Day) 1 (Date) JUNE (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	1	7	SCT	29.90	75	74	5	350	ST			
02	060	1	7	SCT	29.89	75	74	5	350	ST			
03	060	1	7	SCT	29.89	73	72	5	350	ST			
04	065	1	5	OVC	29.84	72	71	9	350	ST			
05	065	5	5	OVC	29.85	72	71	9	350	ST			
06	070	4	5	OVC	29.84	71	70	9	350	ST			
07	070	4	6	OVC	29.85	71	70	10	350	ST			
08	075	3	6	OVC	29.86	72	71	10	350	ST			
09	080	3	6	OVC	29.88	76	72	9	1400	SC			
10	080	3	7	BKN	29.90	78	73	8	1750	CU			
11	085	3	7	BKN	29.90	81	75	8	2100	CU			
12	080	4	7	BKN	29.89	82	74	8	2100	CU			
13	085	4	7	BKN	29.89	83	74	7	3150	AC			
14	085	3	7	BKN	29.89	83	75	7	2800	AC			
15	100	2	7	BKN	29.88	84	75	6	3150	AC			
16	100	2	7	BKN	29.84	84	75	8	3150	AC			
17	100	7	7	OVC	29.84	84	74	9	3500	AC			
18	100	7	7	OVC	29.84	79	73	9	2100	AC			
19	090	6	7	OVC	29.84	79	73	9	2100	AC			
20	085	5	7	BKN	29.88	77	72	8	1750	CU			
21	080	6	7	BKN	29.90	76	71	8	1750	CU			
22	065	3	7	BKN	29.92	74	71	7	1050	CU			
23	065	2	7	BKN	29.92	73	70	6	1050	SC			
24	070	3	7	BKN	29.93	72	70	6	700	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04. Moored portside to berth Board Fifteen (B-15) U.S. Naval Shipyard Pearl Harbor, Hawaii with four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and district craft. CINCPAC is Commander in Chief U.S. Pacific Fleet.

J.A. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered the Crew at Quarters for muster and inspection; Absentees none.

J.A. Hoffey CWO USN.

APPROVED: _____ LCDR U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 1 (Date) June (Month), 19 62

08-12 Moored as before. 1035 Made daily inspection of magazines and smokeless powder samples; condition normal. Made weekly inspection of magazine sprinkling system; Condition satisfactory.

R. L. Walker
LtJG USN

12-16 Moored as before. 1430 The Commanding Officer held mast and imposed non-judicial punishment as follows:
CALDERON S. (N), 546-86-98, SN USN, Offense: Drunk and disorderly conduct on 26 May 1962. Punishment: Dismissed with a warning.
Davis, H. (N), Jr., 483-57-38, SMSN, USN, Offense: Unauthorized absence from 0730 2 May 1962 to 0618 4 May 1962 a period of 46 hours and 48 minutes. Punishment: 7 days confinement.
1543 Davis H. (N), Jr., 483-57-38 Departed ship for U.S. Naval Station Brig for ~~(7)~~ seven (7) days confinement upon order of the Commanding Officer.

R. L. Walker
LtJG USN

16-20 Moored as before 1800 Set Material Condition Yoke on Lower Decks.

R. L. Walker
LtJG USN

20-24 Moored as before.

R. L. Walker
LtJG USN

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: R. L. Walker U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 2 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	4	5	OVC	29.94	72	69	9	1050	SC			
02	095	3	5	OVC	29.95	72	69	9	1050	SC			
03	100	3	5	L	29.97	75	70	10	1750	NS			
04	100	3	5	BKN	29.94	76	72	8	1400	SC			
05	095	3	5	BKN	29.92	76	72	8	1400	SC			
06	110	3	5	BKN	29.91	76	72	8	1400	CU			
07	110	3	6	BKN	29.92	80	73	8	2450	CU			
08	110	3	7	BKN	29.93	83	74	7	3150	AC			
09	110	3	7	BKN	29.93	83	74	7	3150	AC			
10	115	4	7	BKN	29.94	83	74	7	3150	AC			
11	110	1	7	BKN	29.95	84	75	6	3150	AC			
12	110	2	7	BKN	29.95	85	75	6	3500	AC			
13	110	3	7	BKN	29.95	87	77	6	3500	AC			
14	110	2	7	BKN	29.95	86	76	6	3500	AC			
15	110	2	7	BKN	29.95	86	76	7	3500	AC			
16	160	3	7	BKN	29.95	86	76	7	3500	AC			
17	155	5	7	BKN	29.95	85	75	6	3500	AC			
18	140	5	7	BKN	29.96	83	75	6	3800	AC			
19	140	6	6	BKN	29.98	81	73	7	3800	AC			
20	140	5	6	BKN	29.99	76	71	8	1750	SC			
21	140	5	6	BKN	30.00	76	71	8	1750	CU			
22	140	4	6	BKN	30.04	76	71	7	1750	CU			
23	145	4	5	BKN	30.05	76	71	6	1750	SC			
24	145	2	5	BKN	30.03	76	71	6	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to in berth Bravo Fifteen (B-15) at U.S. Naval Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled to the pier. Receiving miscellaneous service from the pier. Material Condition Yoke set second decks and below. SOPA is Cinc Pac Flt.

R. L. Walker
Lt JG, USN

04-08 Moored as before.

R. L. Walker
Lt JG, USN

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 2 (Date) JUNE (Month), 1962

08-12 Moored as before. 0800 Mustered the crew at all stations; absentees: none. 1100 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. J. Gupp, CWO, USN

12-16 Moored as before. 1530 Mustered the duty fire party.

J. J. Gupp, CWO, USN

16-20 Moored as before. 1800 Set material condition Yoke.

J. J. Gupp, CWO, USN

20-24 Moored as before.

J. J. Gupp, CWO, USN

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 3 (Date) JUNE (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	145	1	7	BKN	30.03	75	71	8	1400	CU			
02	145	1	7	BKN	30.03	75	71	8	1400	CU			
03	145	1	7	BKN	30.01	73	71	8	700	CU			
04	140	2	7	BKN	30.01	73	71	7	700	SC			
05	140	2	7	BKN	30.01	74	72	7	700	SC			
06	145	2	7	BKN	30.03	74	72	7	700	SC			
07	145	2	7	BKN	30.03	78	75	7	1050	SC			
08	145	2	7	BKN	30.03	80	75	7	1750	CU			
09	145	3	7	BKN	30.04	84	74	7	3500	AC			
10	145	3	7	BKN	30.03	84	74	7	3500	AC			
11	145	4	7	BKN	30.01	85	75	7	3500	AC			
12	155	5	7	BKN	30.03	85	75	6	3500	AC			
13	155	5	7	BKN	30.03	85	75	6	3500	AC			
14	160	5	7	BKN	30.01	86	76	6	3500	AC			
15	160	5	7	SCT	30.01	86	76	5	3500	AC			
16	130	4	7	SCT	30.01	85	75	5	3500	AC			
17	130	4	7	SCT	30.03	80	74	4	2200	AC			
18	125	4	7	SCT	30.03	80	74	5	2400	CU			
19	220	8	7	SCT	30.01	79	73	5	2100	CU			
20	225	7	7	BKN	30.03	77	71	6	2100	CU			
21	220	7	7	BKN	30.05	77	71	6	2100	CU			
22	220	7	7	BKN	30.05	77	71	7	2100	CU			
23	220	7	7	BKN	30.06	76	69	6	2450	CU			
24	200	7	7	BKN	30.06	76	69	6	2450	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to berth Bravo fifteen (B-15), at U.S. Naval Ship yard, Pearl Harbor, Hawaii with four (4) stern and mooring lines doubled up. Receiving miscellaneous services from shipyard. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and district craft. COPA is Commander in Chief U.S. Pacific Fleet.

J. J. Lupp, CWO, USN

04-08 Moored as before.

J. J. Lupp, CWO, USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: A. L. Valles U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 3 (Date) JUNE (Month) 1962

ØB-12: MOORED AS BEFORE. ØBIØ MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. 1ØØ5 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

A. L. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

A. L. Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. 173Ø MUSTERED THE DUTY RESCUE AND ASSISTANCE PARTY. 18ØØ SET MATERIAL CONDITION YOKE.

A. L. Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

A. L. Swan, ENS, USNR

APPROVED:

[signature] LCDR, U. S. N. COMMANDING

EXAMINED:

A. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 4 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	180	3	7	BKN	30.05	76	72	7	1400	SC			
02	180	3	7	BKN	30.05	75	73	7	700	SC			
03	180	3	7	BKN	30.05	74	78	8	700	SC			
04	180	3	7	BKN	30.05	75	70	8	1750	SC			
05	140	1	7	BKN	30.05	75	70	8	1750	CU			
06	140	1	7	BKN	30.05	75	70	8	1750	CU			
07	140	1	7	BKN	30.05	77	73	8	1400	CU			
08	135	2	7	BKN	30.05	79	73	7	2100	CU			
09	130	3	7	BKN	30.05	81	73	7	2500	CU			
10	100	3	7	BKN	30.05	81	74	7	2450	AC			
11	095	5	7	BKN	30.05	83	74	7	3150	AC			
12	085	5	7	BKN	30.05	83	74	8	3150	AC			
13	090	9	7	BKN	30.03	82	73	7	3150	AC			
14	095	10	7	BKN	30.03	82	73	7	3150	AC			
15	105	8	7	BKN	30.03	83	74	6	3150	AC			
16	110	7	7	BKN	30.03	81	71	6	3500	AC			
17	065	5	7	BKN	30.03	83	72	6	3550	AC			
18	070	5	7	BKN	30.01	83	74	6	3150	AC			
19	070	6	7	SCT	30.04	82	74	5	3300	AC			
20	190	4	7	SCT	30.03	82	73	5	3300	AC			
21	195	5	7	SCT	30.03	81	73	4	3300	AC			
22	190	5	6	SCT	30.04	80	72	4	3300	CU			
23	190	4	6	SCT	30.04	80	72	5	3300	CU			
24	185	3	6	SCT	30.05	79	70	4	3450	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORT SIDE TO BERTH BRAVO-FIFTEEN (B-15) U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

A. L. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

A. L. Swan, ENS, USNR

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 4 (Date) JUNE (Month) 1962

08-12. Moored as before. 0800 Commenced preparations for getting underway. Set Material Condition "Yoke" 0815 Stationed the special sea detail 0835 Completed all preparations for getting underway. Draft Forward 13'4" Aft 16'0" 0844. Underway for sea for scheduled exercises. Maneuvering to clear Alpha Pier 19 Berth Bravo fifteen (B-15) U.S. Naval Shipyard Pearl Harbor, Hawaii. Captain conning Navigator on the bridge. Steering various courses at various speeds standing out of Pearl Harbor Channel. 0926 Secured the special sea detail. 0946. Made daily inspection of magazine and smoke power samples, Condition normal. 0933 C/C 152° Speed 62 RPM 8 knots. 0944 C/C 259°. 0946 C/C 775° 0949 C/C 270°. 0952 C/C 259°. 0953 C/C 270°. 0955 C/C 273°. 0957 C/C 256°. 0959 C/C 151°. 1003 C/C 149°. ~~0940~~ 1010 C/C 110° 1011 C/C 090°. 1013 Steering various courses at various speeds as Commenced scheduled exercise Z-14-CC. 1121 Let go starboard anchor in 11 Fathoms of water with 45 Fathoms of Chain to the water edge. Anchored in a mud bottom on its following bearings. Right Tangent Diamond Head 122½° Radio Tower 096½°. Range Marker 033½°. 1127 Secured underway watch - Set inport watch.

J. E. Hoffey CWO USN.

12-16. Anchored as before. 1228. Stationed the special sea detail 1234. Commenced heaving up anchor. 1242 Anchor aweigh. Underway Captain conning Navigator on the bridge. Steering various courses at various speeds as Complete scheduled Special Z-14-CC. 1317 Secured from Radar Anchorage. Set the special Sea detail. 1324. Commenced steering various courses as to compensate magnetic compass. 1347 Secured from compensating magnetic compass, commenced preparations for entering port. Set the anchor detail. Captain conning Navigator on the bridge, steering various courses and speed as to enter Pearl Harbor Channel.

J. E. Hoffey CWO USN.

16-20. Underway as before 1608 Entered inland water. Maneuvering to moored along berth Alpha Four (A-5) U.S. Naval Station Pearl Harbor, Hawaii 1633 Moored. Secured Special Sea detail set inport watch. 1800 Set Material Condition "Yoke." 1820 Held fire drill in Compartment C-202-L 1835 Secured from fire drill

J. E. Hoffey CWO USN

20-24. Moored as before.

J. E. Hoffey CWO USN.

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 5 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	190	2	6	SCT	30.05	78	70	4	3500	AC			
02	180	3	6	SCT	30.05	78	70	3	3500	AC			
03	185	2	6	SCT	30.05	78	69	3	3150	AC			
04	170	3	6	SCT	30.05	76	70	3	2100	AC			
05	160	2	6	SCT	30.04	75	70	3	1750	AC			
06	140	2	6	SCT	30.04	81	78	3	3150	AC			
07	140	2	7	SCT	30.03	81	78	4	3150	AC			
08	140	2	7	SCT	30.03	81	78	4	3150	AC			
09	140	2	7	SCT	30.03	81	78	5	3150	AC			
10	140	2	7	SCT	30.03	81	78	4	3150	AC			
11	100	2	7	SCT	30.03	81	78	4	3150	AC			
12	055	4	7	SCT	30.02	86	74	3	4800	CC			
13	035	3	7	SCT	30.02	90	74	3	5600	CC			
14	080	3	7	SCT	30.01	90	81	3	3150	CC			
15	015	3	7	SCT	30.01	90	80	3	3500	CC			
16	010	4	7	SCT	30.01	91	84	3	3450	AC			
17	010	4	7	SCT	30.00	88	84	3	1400	AC			
18	010	4	7	SCT	30.00	88	84	3	1400	CU			
19	005	4	7	SCT	30.00	79	78	3	350	SC			
20	015	3	7	SCT	30.00	80	78	3	700	SC			
21	015	3	6	SCT	30.03	79	76	3	1050	SC			
22	015	3	6	SCT	30.03	78	75	3	1050	SC			
23	015	3	6	SCT	30.03	78	75	3	1050	SC			
24	015	3	6	SCT	30.03	78	75	3	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored portside to berth F-5 U. S. Naval Station Pearl Harbor, Hawaii, with standard mooring lines doubled up. Receiving miscellaneous service from dock pier. Ship present included various ships and units of the U.S. Pacific Fleet, yard and district craft. ComOpPac is Commander in Chief U.S. Pacific Fleet

J. E. Hoffey CWO U.S.N.

04-08 Moored as before, 0705. Mustered Crew at Quarters for muster and inspection: absentees None, 0725 Stationed the special sea detail. 0730 Underway, maneuvering to clear the pier. Captain Conning Navigator in on the bridge Condition Yoke set. 0732 Steering various Courses at various Speeds, standing out of Pearl Harbor, Channel. 0755 Ship in mine swept Channel (Simulated).

J. E. Hoffey CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walder U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 5 (Date) June (Month), 19 62

08-12 Underway as before. 0800 Maneuvering on various courses and speeds to navigate through a simulated ~~ex-hazard~~ minefield. 0807 Entered International Water. 0848 Completed transit of minefield, exercised the crew at general quarters, Condition Zebra is set throughout the ship. 1014 Secured from general quarters, on course 000 speed 12 kts. 1023 4c to 333° 4s to 7 kts. 1030 Entered Inland waters. Maneuvering on various courses and speeds to enter port. 1036 Passed buoy #2 abeam to starboard. 1056 Moored port side to pier A-5 with standard mooring lines doubled, set the in port watch. 1149 Made daily inspection of magazines and ammunition powder samples, Conditions normal.

R. L. Walker
Lt JG, USN

12-16 Moored as before. 1552 U. S. Naval Station tug NS-15 brought S-40 sled #664 alongside to starboard and sled was made fast to the ship 1557 Tug NS-15 departed.

R. L. Walker
Lt. JG USN

16-20 Moored as before.

R. L. Walker
Lt JG USN

20-24 Moored as before

R. L. Walker
Lt JG USN

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H/O DATE Wednesday (Day) 6 (Date) June (Month), 19 62

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	015	2	7	SCT	30.01	75	75	3	1050	SC			
02	015	2	7	SCT	30.01	76	75	3	350	SC			
03	020	2	7	SCT	30.00	75	74	3	350	SC			
04	030	4	7	SCT	30.00	74	68	3	2100	SC			
05	030	4	7	SCT	30.01	74	69	3	1750	CU			
06	030	3	7	SCT	30.00	74	69	3	1750	CU			
07	040	5	7	SCT	30.00	76	69	4	2450	CU			
08	060	11	7	SCT	30.01	80	70	4	3500	AC			
09	065	10	7	SCT	30.03	81	72	5	3150	AC			
10	055	8	7	SCT	30.04	79	70	5	3150	AC			
11	050	8	7	SCT	30.03	79	70	5	3150	AC			
12	060	9	7	SCT	30.01	80	72	5	2800	AC			
13	055	10	7	SCT	30.00	80	72	5	2800	AC			
14	050	7	7	SCT	29.99	79	72	5	2450	AC			
15	070	9	7	SCT	29.98	79	72	4	2450	AC			
16	085	8	7	CLR	29.99	79	72	4	2450	AC			
17	090	9	7	CLR	29.99	78	72	3	2100	AC			
18	100	11	7	CLR	30.00	78	73	3	1400	CU			
19	135	10	7	CLR	30.01	77	73	3	1400	CU			
20	140	10	6	CLR	30.02	77	74	2	1050	CU			
21	150	10	6	CLR	30.02	76	74	2	700	SC			
22	150	12	6	SCT	30.02	76	74	2	700	SC			
23	135	10	6	SCT	30.01	75	73	3	700	SC			
24	150	6	6	SCT	30.02	75	70	3	1750	SC			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to pier A-5 with standard mooring lines doubled at U.S. Naval Station, Pearl Harbor, Hawaii. Receiving fresh water and telephone service from the pier. Material Condition Yoke in effect second deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

R. L. Walker
Lt JG USN

04-08 Moored as before. 0605 Mustered the crew at quarters, absentees none. 0625 Set the Special Sea and Anchor Detail. 0643 Underway in accordance with Com FTG Op Ord 23-62 with 5-40 sled # 564 in tow. 0648 Maneuvering at various courses and speeds to stand out of harbor. 0715 Passed buoy #1 abeam to starboard. 0730 Entered International waters. 0733 Secured the Special Sea and anchor detail set Cruise underway watch on course 210°, speed 12 kts.
R. L. Walker Lt JG USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) WEDNESDAY (Day) 6 (Date) JUNE (Month), 19 62

08-12 Underway as before. 0810 C/C to 207°, 194° PSTGC. 0812 C/C to 203°, 191° PSTGC. 0942 C/C to 230°, 218° PSTGC. 1001 C/C to 240°, 225° PSTGC. C/S to 8.3 knots (65 RPMS) 1020 Steamed target to 3600 feet. 1038 Commenced exercise F-21-G with U.S.S. Elkhorn (AOG 7). 1030 Made daily inspection of magazines and smokeless powder samples; conditions normal. 1126 C/C to 060°, 048° PSTGC. C/S to 8.9 knots (70 RPMS) 1144 C/S to 6.7 knots (50 RPMS).

J. J. Gupp, CWO, USN.

12-16 Underway as before. 1200 Completed exercise F-21-G. 1254 Commenced Exercise F-27-G. 1316 C/S to 5.2 knots (40 RPMS). 1317 C/C to 052°, 041° PSTGC. 1328 Heaved target into 650 feet. C/S to 5.2 knots (40 RPMS). Completed Exercise F-27-G. 1336 C/S to 11.3 knots (85 RPMS) 1448 C/C to 028°, 018° PSTGC. 1502 C/C to 025°, 015° PSTGC. 1558 C/C to 039°, 028° PSTGC.

J. J. Gupp, CWO, USN

16-20 Underway as before. 1617 Set the special sea and anchor detail. Captain and navigator on the bridge. 1626 Captain assumed the Conn. 1628 C/S to 215 RPMS 7½ knots (75 RPMS). 1633 C/C to 335°. Heaved the target into 200 feet. C/S to 65 RPMS, 8.3 knots. 1639 Entered inland waters. 1644 Passed buoy 2 abeam to starboard, distance approximately 100 yards. Steering various courses and speeds to conform with local Harbor Channel. 1650 Passed buoy 4 abeam to starboard, distance approximately 150 yards. 1652 Passed buoy 6 abeam to starboard, distance approximately 150 yards. 1700 Moored in target. 1708 Moored portside to with Alpha fuze (A-52), U.S. Naval Station, Pearl Harbor, Oahu with four (4) standard mooring lines. 1718 Secured the special sea and anchor detail. 1800 Set material condition "Zebra". 1815 Exercised the crew at fire drill. 1825 Secured from fire drill.

J. J. Gupp, CWO, USN.

20-24 Moored as before.

J. J. Gupp, CWO, USN.

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 7 (Date) JUNE (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	140	4	7	CLR	30.13	75	70	1	1750	CU			
02	140	3	6	SCT	30.00	75	70	2	1750	CU			
03	130	2	6	SCT	29.99	73	68	2	1750	SC			
04	130	2	6	BKN	29.98	71	70	3	350	SC			
05	130	2	6	BKN	29.98	71	70	5	350	SC			
06	095	3	6	BKN	29.99	72	70	6	700	SC			
07	085	3	7	BKN	30.01	73	71	6	700	SC			
08	080	7	7	BKN	30.03	74	72	6	700	SC			
09	060	8	7	BKN	30.03	74	72	7	700	SC			
10	080	7	7	BKN	30.03	76	74	6	700	SC			
11	090	10	7	BKN	30.02	78	76	6	700	SC			
12	080	10	7	SCT	30.01	80	77	5	1050	SC			
13	075	11	7	SCT	30.00	84	79	5	1750	CU			
14	075	10	7	SCT	30.00	83	78	4	1750	CU			
15	090	10	7	SCT	29.99	83	78	4	1750	CU			
16	085	14	7	SCT	29.98	84	80	3	1400	CU			
17	085	16	7	SCT	29.97	85	81	3	1400	CU			
18	080	17	7	SCT	29.95	82	80	3	700	CU			
19	075	14	7	SCT	29.95	83	79	4	1050	CU			
20	060	11	7	SCT	29.96	82	77	4	1400	CU			
21	070	7	6	SCT	29.95	80	76	4	1400	CU			
22	060	8	6	SCT	29.96	79	74	3	1750	CU			
23	050	6	6	SCT	29.96	77	73	3	1400	CU			
24	055	4	6	SCT	29.97	77	71	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Portside to berth Alpha five (A-5), U.S. Naval Station, Pearl Harbor, Hawaii, forth four (4) standard mooring lines doubled up. Receiving miscellaneous services from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, plus yard and district craft. COMPHIBPAC is Commander in Chief, U.S. Pacific Fleet.

J. F. Gupp, CWO, USN.

04-08 Moored as before. 0750 Mustered the crew at Quarters for muster and inspection. Absentees; Richardson, Donald, T. SA. 358-64-77, USN.

J. F. Gupp, CWO, USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 7 (Date) June (Month), 1962

0800-1200: MOORED AS BEFORE. 0812 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0830 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0845 SET THE SPECIAL SEA AND ANCHOR DETAIL. DRAFT FORWARD 13'9", AFT 16'3". 0855 COMPLETED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0900 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 23-62 WITH 5-40 TARGET SLED NUMBER 564 IN TOW. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0931 PASSED BOUY NUMBER ONE (1) ABEAM TO STARBOARD, DISTANCE 150 YARDS. 0934 ENTERED INTERNATIONAL WATERS. C/C TO 200°. 0936 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. A/A 85 RPM. 0938 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. ENS HORTON RELIEVED THE CAPTAIN OF THE CONN. 0947 COMMENCED EXERCISING THE CREW AT GENERAL QUARTERS. 0951 SET MATERIAL CONDITION ZEBRA THROUGHOUT THE SHIP. 0956 TESTED CEASE FIRE ALARM; TEST SATISFACTORY 1013 C/S TO 90 RPM 1021 C/S TO 95 RPM. 1058 SET MATERIAL CONDITION YOKE. 1105 SECURED FROM GENERAL QUARTERS. 1140 C/C TO 240°.

W. L. Swan, ENS, USNR

1200-1600: UNDERWAY AS BEFORE. 1230 C/C TO 255° C/S TO 100 RPM. 1236 C/C TO 260° 1310 C/S TO 70 RPM. STREAMED TARGET TO 3600 FEET. 1319 C/S TO 65 RPM. 1332 COMMENCED EVENT # Z-27-G, U.S.S. LANSING (DER-388) OCE. 1418 C/C TO 080° C/S TO 70 RPM. 1520 C/S TO 50 RPM COMPLETED EXERCISE Z-27-G. ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. COMMENCED HEAVING-IN TARGET TO 700 FEET. 1525 C/C TO 060°. 1533 CEASED HEAVING-IN TARGET. C/S TO 75 RPM. 1538 C/S TO 85 RPM. 1546 ENS SWAN ASSUMED THE CONN.

W. L. Swan, ENS, USNR

1600-2000: UNDERWAY AS BEFORE. 1641 C/C TO 070°. 1651 CAPTAIN ASSUMED THE CONN. 1653 ENS SWAN ASSUMED THE CONN. 1704 C/C TO 060°. 1708 ENS HORTON ASSUMED THE CONN. 1731 ENS SWAN ASSUMED THE CONN. 1739 C/C TO 045° 1815 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1833 TESTED RUNNING LIGHTS; TEST SATISFACTORY. 1852 C/C TO 050°. 1905 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN ASSUMED THE CONN. 1912 C/C TO 045°. 1913 COMPLETED PREPARATIONS FOR ENTERING PORT. 1916 C/C TO 338°. 1917 C/S TO 65 RPM. C/C TO 336°. 1920 ENTERED INLAND WATERS. C/S TO 60 RPM. 1931 PASSED BOUY NUMBER TWO (2) ABEAM TO STARBOARD, DISTANCE 70 YARDS. MAKING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1953 MOORED ~~STA~~ INCS PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII.

W. L. Swan

2000-2400: MOORED AS BEFORE. 2002 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 2008 RICHARDSON, D.G, SA, 353-64-77, USN RETURNED TO THE SHIP AFTER BEING ABSENT WITHOUT LEAVE SINCE 0745 4 JUNE 1962. 2130 DAVIS, HENRY (n) RETURNED TO THE SHIP FROM SEVEN (7) DAYS IN THE BRIG.

W. L. Swan, ENS, USNR

APPROVED: EXAMINED:

LCDR U. S. N. COMMANDING

U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 8 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	055	4	6	SCT	29.98	76	70	4	2100	CU			
02	065	4	6	SCT	29.98	75	69	4	2100	CU			
03	065	3	6	BKN	29.99	75	69	6	2100	CU			
04	060	3	6	SCT	29.99	75	70	5	1750	CU			
05	060	3	6	SCT	29.99	75	70	5	1750	CU			
06	050	4	6	SCT	29.99	75	69	4	2100	CU			
07	055	4	7	SCT	29.99	76	69	4	2450	CU			
08	060	5	7	SCT	29.98	77	69	5	2800	CU			
09	060	7	7	BKN	29.98	78	70	6	2800	AC	80	070	2
10	065	6	7	BKN	29.98	79	70	6	3150	AC	80	070	2
11	060	7	7	BKN	29.98	79	70	7	3150	AC	81	070	2
12	055	8	7	BKN	29.98	79	70	7	3150	AC	81	065	2
13	060	9	7	BKN	29.97	80	70	7	3500	AC	81	065	2
14	065	9	7	SCT	29.96	80	71	5	3150	AC	81	065	2
15	065	6	7	SCT	29.96	80	72	5	2800	AC	81	065	2
16	060	4	7	SCT	29.96	80	73	4	2450	AC			
17	060	4	7	SCT	29.96	79	75	4	1400	CU			
18	060	4	7	SCT	29.94	78	74	4	1400	CU			
19	060	3	7	SCT	29.96	79	70	4	3150	AC			
20	060	4	6	SCT	29.99	77	69	4	2800	AC			
21	060	4	6	SCT	29.99	77	69	3	2800	AC			
22	060	3	6	SCT	29.99	76	69	3	2450	AC			
23	060	3	6	SCT	29.99	76	69	4	2450	AC			
24	060	2	6	SCT	29.98	75	68	4	2450	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-10.4 N		BY 3
λ 157-57.1 W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE(A-5), U.S. NAVAL STATION PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0730 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0735 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0745 SET THE SPECIAL SEA AND ANCHOR DETAIL. DRAFT FORWARD 13'8", AFT 16'2". 0755 COMPLETED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0759 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 23-62. CAPTAIN IS ON THE BRIDGE; NAVIGATOR HAS THE CONN.

[signature], ENS, USNR.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 8 (Date) June (Month) 19 62

08-12. Underway as before. Steering various courses at various speeds standing out of Pearl Harbor Channel. 0812. Passed buoy 3 abeam to starboard approximately 150 yds. 0821 C/S 62 R.P.M. 8 knots. C/C 131°. 0822 secured the special sea detail. Set condition three watch. Commenced transit of simulated mine field. 0825 C/C 149°. 0826 C/C 150° 0831 C/C 240°. 0832 Entered international water. 0833 C/C 255° 0834 Made daily inspection of magazine and smokeless powder samples; condition normal. Made weekly inspection & test of magazine sprinkling and flooding system; conditions satisfactory. 0835 C/C 260°, 0838 C/C 258°, 0842 C/C 195°, 0843 C/C 260°, 0848 C/C 090°. 0851 Exercised the crew at general Quarters drill. 0900 Held abandon ship drill. 0913 secured from abandon ship drill - Remanned General Quarters stations 0934 Secured from General Quarters. 0937 Commenced swinging ship to Conversion of Compass. maneuvering at various courses to swing ship.

J. A. Hoffey CWO USN.

12-16. Underway as before. 1220 Secured from Conversion Compass 1233 C/S 50 RPM 6.7 knots. 1234 C/C 060° 1259 C/C 090° 1300 Commenced scheduled exercise Z-10-CC With U.S.S. Elphorn (AGC-7) Base course 090°, Base Speed 4 knots. 1410 Completed Exercise Z-10-CC. 1411 Commenced making preparations for entering port. 1412 C/S 100 RPM 12.3 kts C/C 305° 1413 C/C 312°, 1435 Stationed the special sea detail. 1440 completed all preparations for entering port, Captain Conning Navigator on the bridge. Steering various courses at various speed conforming to Pearl Harbor Channel. 1508 Maneuvering to go alongside pier. 1510 Moored port side to Alfa-5 U. S. Naval Station Pearl Harbor, Hawaii.

J. A. Hoffey CWO USN.

16-20 Moored as before 1800 Set Material Condition "Yoke" Second deck and below. 1830 Mustered duty fire party and provide. 1845 Secured from musters.

J. A. Hoffey CWO U.S.N.

20-24. Moored as before.

J. A. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 9 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	2	6	SCT	29.98	76	69	3	2450	AC			
02	065	2	6	SCT	29.99	75	69	3	2400	AC			
03	065	2	6	SCT	29.99	74	68	3	2400	AC			
04	060	2	6	SCT	29.99	72	68	3	1400	CU			
05	060	3	6	SCT	29.98	75	68	4	2450	AC			
06	065	2	6	SCT	29.98	72	68	4	1400	CU			
07	060	2	6	SCT	29.98	72	68	5	1400	CU			
08	065	4	6	~~SCT~~	29.99	77	70	6	2450	AC			
09	040	6	6	~~SCT~~	29.99	81	72	6	3250	AC			
10	065	9	6	~~SCT~~	30.01	84	73	6	3850	AC			
11	065	6	7	~~SCT~~	30.01	86	75	7	3850	AC			
12	070	7	7	~~SCT~~	30.00	88	76	7	4900	AC			
13	065	5	7	~~SCT~~	30.00	90	76	6	4900	CC			
14	070	5	7	~~SCT~~	29.99	88	75	6	4450	CC			
15	075	8	7	SCT	29.99	90	76	5	4900	CC			
16	075	4	7	SCT	29.98	92	78	5	4900	CC			
17	080	6	7	~~SCT~~	29.98	92	78	6	4900	CC			
18	080	4	7	~~SCT~~	29.99	88	78	6	3500	CC			
19	080	4	7	~~SCT~~	29.99	81	77	6	1400	AC			
20	085	2	7	SCT	29.99	77	74	5	1050	CU			
21	090	2	6	SCT	30.00	77	74	5	1050	CU			
22	085	2	6	SCT	30.01	76	73	4	1050	CU			
23	090	2	6	SCT	30.00	77	73	4	1050	CU			
24	100	3	6	SCT	29.99	77	73	4	1400	CU			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04. Moored port side to Berth Alfa-5 U.S. Naval Station, Pearl Harbor, Hawaii with Standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ship present precludes various Ship and Units of the U.S. Pacific Fleet, plus foreign and district Craft. SOPA is Commander in Chief U.S. Pacific Fleet. Material Condition Yoke set.

J. A. Hoffey CWO USN.

04-08. Moored as before. 0750 Mustered for daily section on Station; absentees none.

J. A. Hoffey CWO USN.

APPROVED: _____ LCDR U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 9 (Date) June (Month), 19 62

08-12 Moored as before 1000 Made daily inspection of magazines and smokeless powder samples; Condition: normal. 1133 In accordance with BuPers Order number 118096 of 25 January 1962, ChBosn W-3 J. J. Grippa 555833/713 USN departed ship for Beachmaster Unit One.

R. L. Walker
Lt JG USN

12-16 Moored as before. 1210 Held fire drill 1225 Secured from fire drill.

R. L. Walker
Lt JG USN

16-20 Moored as before.

R. L. Walker
Lt JG USN

20-24 Moored as before.

R. L. Walker
Lt JG USN

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Sunday (Day) 10 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	4	6	SCT	29.99	77	73	4	1400	CU			
02	095	6	6	SCT	29.99	77	73	5	1400	CU			
03	100	5	6	BKN	29.98	78	74	6	1400	CU			
04	100	8	6	BKN	29.98	78	75	6	1050	CU			
05	100	8	6	BKN	29.98	78	75	7	1050	CU			
06	090	10	6	BKN	29.99	79	76	7	1050	CU			
07	095	10	7	BKN	29.99	79	76	7	1050	CU			
08	090	8	7	SCT	29.99	79	76	5	1050	CU			
09	095	7	7	SCT	29.99	81	75	5	2100	AC			
10	095	7	7	SCT	29.99	83	75	4	2800	AC			
11	100	8	7	SCT	29.99	81	73	4	2800	AC			
12	100	6	7	SCT	29.95	80	70	3	3500	AC			
13	100	8	7	SCT	29.93	80	72	4	2800	AC			
14	100	8	7	SCT	29.93	81	73	3	2800	AC			
15	100	9	7	SCT	29.93	81	73	4	2800	AC			
16	095	7	7	SCT	29.93	81	73	5	2800	AC			
17	096	7	7	BKN	29.93	80	72	6	2800	AC			
18	095	6	7	BKN	29.94	79	72	6	2450	AC			
19	100	5	7	BKN	29.95	78	73	7	1750	AC			
20	105	5	6	BKN	29.96	77	74	6	1050	SC			
21	100	5	6	SCT	29.96	76	74	5	700	SC			
22	095	4	6	SCT	29.97	75	74	5	350	SC			
23	100	4	6	SCT	29.98	75	74	4	350	SC			
24	100	5	6	SCT	29.99	74	73	3	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00 - 04 Moored port side to pier A-5 at the U. S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Ships present include units of the U. S. Pacific fleet and various yard and district craft. SOPA is Cinc Pac Flt. Material Condition Yoke is set the second deck and below.

R. L. Walker
LT JG USN

04 - 08 Moored as before.

R. L. Walker
LT JG USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96 — SUNDAY (Day) 10 (Date) JUNE (Month), 19 62

0800-1200 MOORED AS BEFORE 0810 MUSTER CREW ON STATIONS - ABSENTEES NONE. 1114 MADE DAILY INSPECTION OF MAGAZINES & SMOKELESS POWDER SAMPLES CONDITIONS NORMAL

L. E. Horton
ENS USN

1200-1600 MOORED AS BEFORE

L. E. Horton
ENS. USN

1200-2000 MOORED AS BEFORE 1800 SET CONDITION YOKE ON LOWER DECKS.

L. E. Horton
ENS. USN

2000-2400 MOORED AS BEFORE.

L. E. Horton
ENS USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNARI ATF 96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 11 (Date) JUNE (Month), 1962

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	3	6	SCT	29.96	74	72	H	700	SC			
02	105	H	6	SCT	29.96	73	71	H	700	SC			
03	100	H	6	SCT	29.95	73	71	H	700	SC			
04	105	3	6	SCT	29.95	73	71	H	700	SC			
05	100	9	6	SCT	29.95	73	72	5	700	SC			
06	100	3	6	SCT	29.96	73	71	5	700	SC			
07	105	3	7	BKN	29.96	73	71	6	700	SC			
08	110	9	7	BKN	29.96	78	72	6	2100	SC			
09	090	H	7	BKN	29.98	79	73	6	2100	CU			
10	105	5	7	BKN	29.98	80	73	6	2450	CU			
11	105	6	7	BKN	29.98	81	73	6	3150	AC			
12	105	6	7	BKN	29.96	81	74	8	2450	AC			
13	105	5	7	BKN	29.96	81	74	8	2450	CU			
14	105	5	7	BKN	29.96	81	74	7	2450	CU			
15	105	5	7	BKN	29.94	83	74	8	3150	AC			
16	105	3	7	BKN	29.92	84	76	8	2500	AC			
17	105	3	7	BKN	29.92	84	76	8	2500	AC			
18	105	3	7	BKN	29.92	84	76	8	2500	AC			
19	105	3	7	BKN	29.92	79	73	7	2100	CU			
20	105	3	7	BKN	29.94	79	73	7	2100	CU			
21	105	H	7	BKN	29.96	78	72	7	2100	CU			
22	105	3	7	BKN	29.97	78	71	6	2450	CU			
23	105	5	7	BKN	29.99	77	71	6	2100	CU			
24	105	5	7	SCT	29.99	78	72	5	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 MOORED PORT SIDE TO ALPHA-5 USNAVAL STATION PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECIEVING FRESH WATER + PHONE SERVICE FROM PIER SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET AND VARIOUS YARD + DISTRICT CRAFT. SOPA IS CINC PAC FLT. MATERIAL CONDITION YOKE SET ON SECOND DECK AND BELOW

L. E. Horton
Ens USN

04-08 MOORED AS BEFORE. AT 0750 MUSTERED CREW AT QUARTERS - ABSENTEES NONE

LEH

Leslie E. Horton
Ens. USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ~~USS~~ ABNAKI (ATF-96) MONDAY (Day) 11 (Date) JUNE (Month) 19 62

08-12: MOORED AS BEFORE. 0827 ~~USS~~ R MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. E. Swan, ENS, USNR

12-16: MOORED AS BEFORE. 1345 YTL-235 CAME ALONGSIDE WITH TARGET SLED 574. TARGET SLED MADE FAST TO STARBOARD SIDE.

W. E. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1740 YTL-235 CAME ALONGSIDE TO TAKE TARGET SLED 574 FROM ALONGSIDE TO STARBOARD. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED THE RESCUE AND ASSISTANCE PARTY.

W. E. Swan ENS, USNR

20-24: MOORED AS BEFORE.

W. E. Swan, ENS, USNR

APPROVED:

[signature] LCDR U. S. N. COMMANDING

EXAMINED:

[signature] U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 13 (Date) JUNE (Month), 19 69

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	4	7	SCT	29.99	79	73	3	2100	CU			
02	100	4	7	SCT	29.98	78	73	3	1750	SC			
03	105	4	7	SCT	29.98	78	73	3	1750	SC			
04	105	4	7	SCT	29.98	78	73	3	1750	SC			
05	105	3	7	SCT	29.98	78	73	5	1750	SC			
06	080	1	7	SCT	29.98	78	73	5	1750	SC			
07	045	1	7	BKN	29.98	80	73	6	2450	CU			
08	035	7	7	BKN	29.98	80	73	6	2450	CU			
09	035	8	7	BKN	30.00	80	73	7	2450	CU			
10	045	9	7	BKN	30.01	80	74	7	2100	CU			
11	075	8	7	BKN	30.01	81	74	7	2450	AC			
12	090	8	7	BKN	30.00	81	74	7	2450	AC			
13	100	8	7	BKN	29.99	80	72	8	2800	AC			
14	100	6	7	BKN	29.98	81	73	7	2800	AC			
15	100	5	7	BKN	29.96	83	73	7	3500	AC			
16	110	5	7	BKN	29.96	82	72	8	3500	AC			
17	110	5	7	BKN	29.98	80	72	8	2800	AC			
18	110	5	7	BKN	29.99	80	72	8	2800	AC			
19	110	6	7	BKN	29.99	79	73	8	2100	AC			
20	085	2	7	BKN	29.97	79	73	7	2100	AC			
21	070	1	7	BKN	29.98	78	72	7	2450	AC			
22	060	1	7	BKN	29.99	78	71	6	2450	CU			
23	055	3	7	BKN	30.00	77	71	6	2100	SC			
24	050	2	7	SCT	30.00	76	73	5	1400	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORTSIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[signature], ENS, USNR

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 12 (Date) JUNE (Month), 19 62

08-12. Moored as before. 1017 Made daily inspection of magazine and smokeless power samples; condition normal.

J. E. Hoffey CWO U.S.N.

12-16. Moored as before.

J. E. Hoffey CWO U.S.N.

16-20. Moored as before 1800 Set material condition "Yoke" second deck and below.

J. E. Hoffey CWO U.S.N.

20-24. Moored as before.

J. E. Hoffey CWO U.S.N.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 13 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	2	7	SCT	29.99	76	72	2	1400	CU			
02	050	2	7	SCT	29.97	75	72	2	1050	SC			
03	055	2	7	SCT	29.97	75	71	2	1400	SC			
04	055	2	7	SCT	29.98	73	70	2	1050	SC			
05	055	2	7	SCT	29.98	73	70	2	1050	SC			
06	055	2	7	SCT	29.98	75	70	2	1750	CU			
07	060	6	7	SCT	29.99	77	73	2	1400	CU			
08	060	5	7	SCT	29.99	79	74	2	1750	CU			
09	070	4	7	SCT	30.00	80	71	2	3150	AC			
10	070	6	7	SCT	30.00	80	71	4	3150	AC			
11	120	6	7	SCT	30.00	80	71	4	3150	AC			
12	125	6	7	SCT	30.01	80	72	4	3150	AC			
13	130	6	7	SCT	30.00	81	71	4	3500	AC			
14	060	7	7	SCT	29.98	83	73	4	3500	CI			
15	060	7	7	SCT	29.97	83	73	4	3500	CI			
16	065	8	7	SCT	29.94	84	73	4	3850	CC			
17	060	7	7	SCT	29.95	83	73	4	3500	CC			
18	035	7	7	SCT	29.96	81	71	4	3500	CC			
19	030	3	7	SCT	29.96	81	71	4	3500	CC			
20	035	3	7	SCT	29.96	81	71	4	3500	CC			
21	035	2	7	SCT	29.97	81	71	4	3500	CC			
22	030	2	7	SCT	29.97	80	70	3	3500	CC			
23	030	3	7	SCT	29.98	80	70	3	3500	CC			
24	030	3	7	SCT	29.98	80	70	3	3500	CC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

00-04 Moored port side to berth Alfa-5. U.S. Naval Station Pearl Harbor, Hawaii, with standard mooring lines doubled up. Receiving miscellaneous service from the pier. Ships present include various ships and units of the U.S. Pacific Fleet. Yard and District Craft. Material Condition Yoke set second deck and below. SOPA is Commander in Chief U.S. Pacific Fleet.

J. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered the crew at 8 master for muster and inspection; absentees none.

J. Hoffey CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 13 (Date) June (Month) 1962

08-12 Moored as before. 0845 Set the Special Sea and Anchor Detail. 0917 Underway in accordance with Com FTC Op Ord 24-62. Maneuvering on various courses and speeds to stand out of harbor. 0929 Commenced streaming target sled. 0948 Passed buoy No. 1 abeam to starboard 130 yds distant on base course 153° speed 8.3 kts. 0952 Target streamed to 200 feet. 0953 Ps 8.9kts 0954 Ps to 9.5kts. 0956 Secured the Special Sea and Anchor Detail; set the regular underway watch. 0959 Pc to 200° Ps to 11.3kts. 1001 Entered International waters. Ps to 11.8 kts. 1048 Pc to 205° 1100 Made daily inspection of magazine and smokeless powder samples. Condition normal.

R. L. Walker
LT JG USN

12-16 Underway as before. 1217 Pc to 250° 1230 Pc to 230° Ps to 8 kts. 1233 Commenced streaming target. 1248 Completed streaming target to 3600 feet. 1315 Ps to 7.2 kts. 1333 Journey exercise with U.S.S. Nicholas (DDE-449) canceled. Commenced leaving in target to 800 ft. Pc to 050. Ps to 8.3 kts. 1410 Secured towing in target. Ps to 10.8 kts. 1415 Ps to 11.3 kts. 1428 Pc to 040 1524 Pc to 030°

R. L. Walker
LT JG USN

16-20 Underway as before. 1631 Pc to 040 1645 Set the Special Sea and Anchor Detail. Pc 035° 1658 Pc to 030 1740 Pc to 020° 1701 Entered Inland water 1703 Maneuvering at various courses and speeds to enter port. Commenced leaving in target sled. 1712 Passed buoy No. 2 abeam to starboard, 150 yds distant. 1728 Maneuvering on various courses and speeds to ~~move~~ port side to U.S.S. TAKELMA (ATF-113) at berth A-2. Target sled is awaited up to fantail. 1742 Moored port side to U.S.S. TAKELMA (ATF-913) in berth A-2 U.S. Naval Station Pearl Harbor, Hawaii. 1745 Tug NS 15 came alongside and took target sled. 1745 Tug NS 15 and target sled departed. 1750 Secured the Special Sea and Anchor Detail, set regular in port watch. 1840 Commenced taking on fresh water. 1905 Secured taking on fresh water. Draft: Fwd 13'6", Aft 16'3". Set Material Condition Yoke secured as below.

R. L. Walker
LT JG USN

20-24 Moored as before.

R. L. Walker
LT JG USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) 14 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	2	7	SCT	30.02	75	70	4	1750	SC			
02	030	2	7	SCT	30.00	75	71	4	1400	SC			
03	030	2	7	SCT	30.01	75	71	4	1400	SC			
04	035	2	7	SCT	30.01	76	72	4	1400	SC			
05	035	3	7	SCT	30.01	76	72	5	1400	SC			
06	050	3	7	SCT	30.01	76	69	5	24500	AC			
07	045	4	7	~~BKN~~	30.02	77	70	6	24500	AC			
08	030	4	7	~~BKN~~	30.02	81	71	6	35000	CC			
09	040	4	7	SCT	30.03	83	71	5	38500	CC			
10	090	4	7	SCT	30.03	83	71	5	38500	CC			
11	090	4	7	SCT	30.03	84	70	5	44000	CC			
12	090	8	7	SCT	30.03	84	70	4	44000	CC			
13	090	10	7	SCT	30.01	85	71	4	44000	CC			
14	090	8	7	SCT	30.02	84	73	3	38500	CC			
15	090	4	7	SCT	30.00	85	77	3	28000	AC			
16	050	4	7	SCT	30.00	87	79	3	28000	AC			
17	055	4	7	SCT	30.00	89	80	3	31500	CC			
18	055	5	7	SCT	30.00	91	80	3	38500	CC			
19	050	5	7	SCT	30.00	87	79	8	28000	CC			
20	055	4	7	SCT	30.02	81	73	3	28000	AC			
21	055	4	7	SCT	30.03	81	73	3	28000	AC			
22	050	5	7	SCT	30.03	80	72	3	28000	AC			
23	055	4	7	SCT	30.03	79	71	4	28000	AC			
24	055	4	7	SCT	30.03	79	71	4	28000	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to at S.S. TAKELMA (ATF-113) in berth A-2 with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material Condition Yoke in set aboard deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

R. L. Walker
LT JG USN

04-08 Moored as before. 0750 Mustered the crew at quarters; absentees, none.

R. L. Walker
LT JG USN

APPROVED: LCDR U.S.N. COMMANDING

EXAMINED: R. L. Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY (Day) 14 (Date) JUNE (Month), 19 62

08-12 MOORED AS BEFORE 0840 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITION NORMAL 0937 COMMENCED SHIFTING BERTHS TO ALPHA ONE USING MOORING LINES. 0955 MOORED STARBOARD SIDE TO PIER ALPHA ONE PEARL HARBOR, HAWAII. ~~12~~ LCH

Leslie E Horton Cmdr USN

12-16. MOORED AS BEFORE. 1357 COMMANDING OFFICER HELD NON JUDICIAL MAST ON RICHARDSON, DONALD, G. 353-64-71 SA. FOR VIOLATION OF UCMJ ART. 86 UNAUTHORIZED ABSENCE AND AWARDED THE FOLLOWING PUNISHMENT. - 14 DAYS RESTRICTION. 1437 COMMENCED SHIFTING BERTH TO ALPHA TWO. ~~14~~ 1505 MOORED PORT SIDE TO USS TAKELMA (ATF 113) BERTH ALPHA TWO PEARL HARBOR, HAWAII LCH

Leslie E Horton
Cmdr USN

16-20. MOORED AS BEFORE. 1800 SET CONDITION YOKE SECOND DECK AND BELOW. 1804 HELD FIRE DRILL SECTION TWO PROVIDED. 1820 SECURED FROM FIRE DRILL

Leslie E Horton
Cmdr USN

20-24 MOORED AS BEFORE.

Leslie E Horton
Cmdr USN

APPROVED: EXAMINED:

CDR U. S. N. COMMANDING U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 15 (Date) JUNE (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	055	4	7	SCT	30.02	79	71	4	3500	AC			
02	055	4	7	SCT	30.02	79	71	4	3500	AC			
03	055	4	7	SCT	30.02	79	71	4	3500	AC			
04	055	4	7	SCT	30.01	78	69	5	3250	AC			
05	055	2	7	SCT	30.01	74	69	5	1750	CU			
06	055	2	7	BKN	30.01	74	69	6	1750	CU			
07	050	3	7	BKN	30.02	74	69	7	1750	CU			
08	055	4	7	BKN	30.03	76	70	7	2100	CU	80	060	1
09	060	5	7	BKN	30.04	78	72	8	2100	CU	80	065	1
10	065	3	7	BKN	30.04	79	73	7	2100	CU	80	070	1
11	065	4	7	BKN	30.03	78	72	6	2100	CU	81	070	1
12	065	4	7	BKN	30.03	78	72	6	2100	CU	81	065	1
13	065	4	7	BKN	30.03	79	71	6	3500	AC	81	065	1
14	060	6	7	BKN	30.02	79	71	6	3500	AC	81	065	1
15	060	5	7	BKN	30.02	80	71	6	3250	AC	81	060	1
16	055	5	7	BKN	30.01	81	71	6	3500	CC			
17	055	4	7	BKN	30.00	80	72	6	3500	CC			
18	050	4	7	BKN	30.00	80	72	6	3500	CC			
19	050	4	7	BKN	30.00	81	70	6	3850	CC			
20	050	2	7	BKN	30.00	81	70	6	3850	CC			
21	050	2	7	SCT	30.00	78	68	5	3500	CC			
22	050	1	7	SCT	30.01	76	68	5	3500	AC			
23	050	1	7	SCT	30.01	75	68	5	4750	AC			
24	050	1	7	SCT	30.00	75	68	4	4450	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-14.45 N		BY 3
λ 157-54 W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored Port Side To USS Takelma ATF 113 At Berth Alpha Two. Pearl Harbor, Hawaii With Standard Mooring Lines Doubled, Recieving Fresh Water And Telephone Services From The Pier. Material Condition Yoke Set Second Deck And Below. Ships Present Include Various Units of The U.S. Pacific Fleet And Yard District Craft. SOPA is Cinc Pac Flt.

Leslie E Hartley
Ens. USN

04-08 Moored As Before. 0750 Mustered Crew At Quarters, Absentees None.

Leslie E Hartley
Ens USN.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: A L Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 15 (Date) JUNE (Month) 19 62

0800-1200: MOORED AS BEFORE. 0814 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; ~~SAMPLE~~ HFS CONDITIONS NORMAL. 0815 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0816: MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY. 0824 COMPLETED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0828 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 2H-62. NAVIGATOR HAS THE CONN, CAPTAIN IS ON THE BRIDGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0845 C/S TO 14.3 KNOTS. PASSED BOUY #1 ABEAM TO STARBOARD; DISTANCE 1000 YARDS. 0846 C/S TO 9.5 KNOTS. 0849 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0857 CWO HAFFEY ASSUMED THE CONN. 0857 ENTERE INTERNATIONAL WATERS. 0900 C/S TO 3.3 KTS TO INVESTIGATE POSSIBLE BOAT ADRIFT: BOAT DETERMINED TO BE ABANDONED. 0901 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH CONDUCTING MAN-OVERBOARD DRILLS. 0913 LTJG WALKER ASSUMED THE CONN. 0930 ENS SWAN ASSUMED THE CONN. 0948 ENS NORTON ASSUMED THE CONN. 1000 ~~COMPLETED~~ HFS MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. LTJG WALKER ASSUMED THE CONN. 1049 CWO HAFFEY ASSUMED THE CONN. SECURED FROM MAN-OVERBOARD DRILLS. 1051 C/C TO 100°. C/S TO 3.3 KTS. 1131 C/C TO 095°. 1157 C/S TO 6.7 KNOTS.

H. L. Swan, ENS, USNR

1200-1600: UNDERWAY AS BEFORE. 1201 ENS SWAN ASSUMED THE CONN. 1207 C/C TO 270°. 1215 C/C TO 090°. 1221 C/C TO 100°. 1230 SET TOWING DETAIL. COMMENCED EXERCISE ~~Z-6-S~~ HFS Z-6-S WITH USS CONSERVER (ARS-39) OCE. 1319 CAPTAIN ASSUMED THE CONN. STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH EXERCISE REQUIREMENTS. 1410 COMPLETED SCHEDULED EXERCISE. 1414 ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. C/S TO 3.3 KTS. 1416 SECURED THE TOWING DETAIL. 1419 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1426 C/S TO 6.7 KTS. 1452 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1459 C/C TO 340°. 1500 C/S TO 12.3 KTS. 1501 C/S TO 335°. 1504 STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH ENTERING PEARL HARBOR CHANNEL. 1505 ENTERED INLAND WATERS. 1510 PASSED BOUY #2 ABEAM TO STARBOARD; DISTANCE 150 YARDS. 1536 PASSED BOUY #22 ABEAM TO STARBOARD; DISTANCE 150 YARDS. 1543 CAPTAIN ASSUMED THE CONN. 1554 MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17), U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII.

H. L. Swan ENS, USNR

1600-2000: MOORED AS BEFORE. 1604 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1800 SET MATERIAL CONDITION YOKE. 1845 HELD FIRE DRILL. 1850 SECURED FROM FIRE DRILL.

H. L. Swan, ENS, USNR

2000-2400: MOORED AS BEFORE.

H. L. Swan, ENS, USNR.

APPROVED: J. C. [illegible] LCDR U. S. N. COMMANDING

EXAMINED: [illegible] U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 16 (Date) JUNE (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	1	6	9CL	30.00	73	68	4	1750	SC			
02	050	1	6	SCT	30.00	73	67	4	2100	SC			
03	050	1	6	SCT	29.99	73	66	4	2450	CU			
04	050	1	6	SCT	29.99	73	66	5	2450	CU			
05	050	1	7	BKN	29.99	73	66	6	2450	CU			
06	050	1	7	BKN	29.99	73	66	7	2450	CU			
07	045	3	7	BKN	30.00	76	70	7	2100	CU			
08	045	3	7	BKN	30.01	78	72	8	3500	AC			
09	045	2	7	BKN	30.00	78	72	8	3500	AC			
10	040	2	7	BKN	30.01	78	72	7	3500	AC			
11	040	2	7	BKN	30.00	78	72	7	3500	AC			
12	030	4	7	BKN	30.00	84	72	7	4200	AC			
13	035	5	7	BKN	30.01	87	75	6	4200	CC			
14	040	5	7	BKN	30.01	88	76	6	4200	CC			
15	045	6	7	SCT	29.98	91	79	5	4200	CC			
16	035	6	7	SCT	29.96	90	82	5	3500	CC			
17	030	6	7	SCT	29.95	90	80	4	3500	CC			
18	030	6	7	SCT	29.95	87	74	4	4550	CC			
19	035	6	7	SCT	29.95	80	70	4	3500	CC			
20	035	6	7	SCT	29.95	78	70	3	3800	AC			
21	030	5	7	SCT	29.96	78	71	3	2450	AC			
22	030	6	6	SCT	29.97	76	70	3	2100	CU			
23	030	6	6	SCT	29.98	76	71	3	1750	CU			
24	035	5	6	SCT	29.98	75	70	3	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

~~00-04~~: MOORED PORT SIDE TO BERTH SIERRA-SEVENTEEN (S-17) AT U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. CINCPAC IS COMMANDER-IN-CHIEF U.S. PACIFIC FLEET.

H. C. SWAN, CWS, USNR

~~04-08~~: MOORED AS BEFORE.

H. C. SWAN, CWS, USNR

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 16 (Date) JUNE (Month), 19 62

08-12. Moored as before. 0800 Mustered duty section on station; absentee none. 0905 Commenced fueling from pier draft forward 13'3 aft 16'2 1112 finished from taking on fuel and lube oil. Received 9,300 gals of diesel oil and 2600 gallons of lube oil. 1115 Made daily inspection of magazine and smoke pipe. Sample, condition normal.

J.A. Hoffey CWO USN

12-16. Moored as before

J.A. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set material condition Yoke secured dish and below. 1930 Mustered fire party and provided.

J.A. Hoffey CWO USN

20-24. Moored as before.

J.A. Hoffey CWO U.S.N.

APPROVED: C. COR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Sunday (Day) 17 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	055	5	6	SCT	29.99	74	70	5	1400	SC			
02	040	4	6	SCT	29.99	74	72	4	1050	SC			
03	040	4	6	SCT	29.98	73	70	4	1050	SC			
04	030	2	6	SCT	29.98	73	70	4	1050	SC			
05	030	2	7	SCT	29.98	73	70	5	1050	SC			
06	035	2	7	BKN	29.98	73	70	6	1050	SC			
07	030	2	7	BKN	30.00	73	70	7	1050	CU			
08	030	2	7	SCT	30.00	79	73	5	2450	CU			
09	030	4	7	SCT	29.98	82	75	5	2450	CU			
10	060	3	7	SCT	29.97	87	79	4	2800	AC			
11	060	3	7	SCT	29.96	88	79	4	3250	AC			
12	050	10	7	SCT	29.95	85	75	4	3500	CC			
13	050	10	7	SCT	29.96	88	75	3	4200	CC			
14	060	10	7	SCT	29.97	90	75	3	5250	CC			
15	060	7	7	SCT	29.98	90	75	3	5250	CC			
16	065	7	7	SCT	29.98	95	80	4	5250	CC			
17	065	7	7	SCT	29.97	95	80	4	5250	CC			
18	060	7	7	SCT	29.97	91	84	5	2450	CC			
19	060	7	7	SCT	29.98	90	83	5	2450	CC			
20	065	6	7	SCT	29.98	84	74	4	3500	CC			
21	065	6	7	SCT	29.98	80	72	4	2800	AC			
22	065	4	6	SCT	30.02	80	78	3	2800	AC			
23	065	3	6	SCT	30.02	78	71	3	2450	AC			
24	065	2	6	SCT	30.00	77	71	3	2100	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored Port side to Berth Sierra 17 at U.S. Naval Submarine Base, Pearl Harbor, Hawaii with Standard mooring lines doubled up. Receiving miscellaneous services from shore. Material Condition Yoke set. Ship present includes various ships and units of the U.S. Pacific Fleet; Local and district Craft. SOPA is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO USN.

04-08. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 17 (Date) June (Month), 1962

0800-1200 Moored as before 0800 Mustered the crew on stations. Absentees: none. 1115 Made daily inspection of magazine and smokeless powder samples. Conditions: normal.

R. L. Walker
Lt/JG USN

1200-1600 Moored as before

R. L. Walker
Lt/JG USN

1600-2000 Moored as before. 1805 Commenced taking on fresh water. 1830 Secured from taking on fresh water. Draft: Fwd 14'0" Aft 16'3". Set Material Condition "Yoke" second deck and below.

R. L. Walker
Lt/JG USN

2000-2400 Moored as before.

R. L. Walker
Lt/JG USN

APPROVED: J. M. L. COX U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 18 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	065	2	6	SCT	30.00	77	70	3	2450	AC			
02	065	2	6	SCT	30.00	75	70	3	1750	CU			
03	065	2	6	SCT	30.00	74	69	3	1750	CU			
04	060	5	6	SCT	30.00	75	70	4	1750	CU			
05	060	5	6	SCT	29.98	75	70	4	1750	CU			
06	060	5	7	SCT	29.97	75	70	5	1750	CU			
07	065	5	7	BKN	29.98	78	73	6	1750	CU			
08	070	3	7	BKN	30.00	81	72	7	3450	AC			
09	040	3	7	BKN	30.00	83	74	7	3450	AC			
10	045	3	7	BKN	30.00	85	72	6	4550	CC			
11	080	3	7	SCT	30.00	85	73	5	4800	CC			
12	075	3	7	SCT	30.00	85	73	5	4800	CC			
13	075	3	7	SCT	30.00	84	72	5	4800	CC			
14	050	4	7	SCT	30.00	84	74	5	3500	CC			
15	050	4	7	BKN	30.00	84	75	6	3450	CC			
16	045	5	7	BKN	29.99	83	77	6	2100	AC			
17	045	5	7	BKN	29.99	83	77	6	2100	AC			
18	045	4	7	SCT	29.99	83	76	5	2450	AC			
19	045	5	7	SCT	30.00	82	75	5	2450	AC			
20	045	5	7	SCT	30.01	81	73	5	2800	AC			
21	050	4	7	SCT	30.01	79	73	4	2450	AC			
22	045	3	6	SCT	30.02	79	73	4	2450	AC			
23	045	3	6	SCT	30.02	77	71	3	2100	AC			
24	045	3	6	SCT	30.02	76	70	3	2100	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to in berth (J-17) at U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition "Yoke" in set second deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cmdr Pac Flt.

R. L. Walker
Lt JG USN

04-08 Moored as before. 0756 Mustered the crew at quarters. Absentees: none.

R. L. Walker
Lt JG USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) MONDAY (Day) 18 (Date) JUNE (Month), 1962

08-12 MOORED AS BEFORE 0839 MADE DAILY INSPECTION OF MAGAZINES + SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

Leslie E Horton
Ens. USN

12-16 MOORED AS BEFORE 1223 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 1245 SET SPECIAL SEA DETAIL. 1257 UNDERWAY JAW PORT CONTROL MSG 181819Z OF JUNE 1962 DRAFT FWD 13'5" AFT 16'4". MANEUVERING VARIOUS COURSES + SPEEDS TO CLEAR BERTH SIERRA SEVENTEEN. 1310 MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CON FORM TO PEARL HARBOR CHANNEL 1318 PASSED BOUY F1 ABEAM TO STBD APPROX 190 YDS 1322 PASSED BOUY 15 ABEAM TO STBD APPROX 200 YDS. 1323 RUN DEGAUSSING RANGE - TEST SATISFACTORY. 1325 PASSED BOUY "WL" ABEAM TO STBD. APPROX 230 YARDS 1329 PASSED BOUY 13 ABEAM TO STBD APPROX 200 YDS. 1330 PASSED BOUY 11 ABEAM TO STBD APPROX 190 YDS. 1332 STEERING VARIOUS COURSES AND SPEEDS TO APPROACH ~~BERTH~~ BERTH ALPHA SIX 1359 MOORED STBD SIDE TO BERTH ALPHA SIX PEARL HARBOR, HAWAII. 1407 SECURED SPECIAL SEA + ANCHOR DETAIL.

Leslie E. Horton Ens USN

16-20 MOORED AS BEFORE. 1730 STARTED TAKING ON FRESH WATER. DRAFT FWD 13'5" AFT 16'4" 1815 SECURED TAKING ON FRESH WATER. DRAFT FWD 14' AFT 15'. SET CONDITION YOKE SECOND DECK AND BELOW.

Leslie E Horton Ens USN

20-24 MOORED AS BEFORE.

Leslie E Horton Ens USN

APPROVED: CDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 19 (Date) JUNE (Month), 19 69

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	6	SCT	30.09	76	70	3	2100	AC			
02	065	4	6	SCT	30.01	74	70	3	1400	CU			
03	050	4	6	SCT	30.00	74	70	3	1400	CU			
04	050	2	6	SCT	30.00	74	70	4	1400	CU			
05	050	3	6	SCT	29.99	75	69	5	2100	CU			
06	050	3	7	SCT	29.99	75	69	5	2100	CU			
07	055	4	7	SCT	29.99	76	71	5	1750	CU			
08	055	5	7	SCT	29.99	79	73	5	2450	AC			
09	050	6	7	SCT	30.00	84	74	5	3500	AC			
10	040	6	7	SCT	30.00	84	74	4	3500	AC			
11	035	7	7	SCT	30.00	83	75	4	2800	AC			
12	035	8	7	SCT	30.00	83	77	4	2100	AC			
13	030	8	7	SCT	29.99	88	77	3	1750	CU			
14	030	7	7	SCT	29.99	88	77	3	1750	CU			
15	030	7	7	SCT	29.99	88	77	2	1750	CU			
16	030	6	7	SCT	29.99	88	78	2	1400	SC			
17	030	6	7	SCT	29.99	88	78	3	1400	SC			
18	030	6	7	SCT	29.98	88	77	3	1750	SC			
19	030	6	7	SCT	29.99	88	76	3	2100	SC			
20	040	6	7	SCT	29.99	80	76	3	1400	SC			
21	045	5	6	SCT	29.99	79	75	3	1400	SC			
22	045	5	6	SCT	30.00	78	75	3	1050	SC			
23	050	4	6	SCT	30.00	77	74	3	1050	SC			
24	050	5	6	SCT	30.01	77	74	3	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO ~~BERTH~~ BERTH 5C6 ALPHA SIX. PEARL HARBOR. NAVAL BASE, PEARL HARBOR. HAWAII WITH STANDARD MOORING LINES DOUBLED. RECIEVING FRESH WATER AND PHONE SERVICES FROM PIER. MATERIAL CONDITION YOKE SET SECOND DECK AND BELOW. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET AND VARIOUS YARD + DISTRICT CRAFT. SOPA IS CINC PAC FLT

H C Horton, Lcdr USN

04-08 MOORED AS BEFORE. 0635 MUSTER CREW AT QUARTERS ABSENTEES: NONE 0645 SET SPECIAL SEA AND ANCHOR DETAIL. 0657 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0705 UNDERWAY IN ACCORDANCE WITH COMFLTTRA GRP OPORD 25-62 DRAFT FWD 14' AFT 16 FEET. 0710 MANEUVERING ON VARIOUS COURSES AND SPEED TO CONFORM TO PEARL HARBOR CHANNEL. 0714 PASSED BOUY NO. 9 ABEAM TO STBD

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) / 19 (Date) JUNE (Month), 1962

04-08 (CONT.) APROX 200 YDS. 0716 PASSED BOUY NO. 7 ABEAM TO STBD. APROX 190 YDS 0720 PASSED BOUY NO. 3 ABEAM TO STBD. APROX 210 YDS. 0725 PASSED BOUY NO. 1 ABEAM TO STBD APROX 220 YDS. SECURED ANCHOR DETAIL 0729 C/S ALL STOP. TOOK NO 1 MAIN GENERATOR OUT OF LOOP. SHIFTED CONTROL TO ENGINE ROOM. 0730 C/S AHEAD 2/3 SECURE SPECIAL SEA DETAIL, SET UNDERWAY WATCH 0734 SECURED NO 3 SHIPS SERVICE GENERATOR. 0738 R/STAND RUDDER ENTERED INTERNATIONAL WATERS. H/STAND RUDDER. C/S A/A FULL 0741 STEADY ON 090° PGC. 0742 C/S A/A STANDARD 0743 C/C 125° PGC.

Leslie E Horton
Ens USN.

08-12: UNDERWAY AS BEFORE. 0801 CWO HAFFEY ASSUMED THE CONN. MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0816 C/C TO 130°. 0831 C/C TO 180°. C/S TO 12.3 KTS. 0934 C/C TO 205°. 0937 C/C TO 190°. 0951 C/C TO 175°. 0956 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP. 1000 C/C TO 180°. 1002 CAPTAIN ASSUMED THE COND. EXERCISING THE CREW AT GENERAL QUARTERS 1004 CONDITION ZEBRA SET THROUGHOUT THE SHIP. 1009 C/C TO 210°, C/S TO 13.3 KTS. 1018 C/S TO 11 KTS, C/C TO 220°. 1027 C/S TO 9.5 KTS, C/C TO 140°. 1039 C/S TO 4.5 KTS. 1105 C/S TO 12.3 KTS C/C TO 000°. 1106 C/C TO 340°. 1109 C/C TO 180°. 1113 C/S TO 6.7 KTS. 1115 COMMENCED SCEDULED EXERCISE Z-21-G; USS ABNANI OCE, ON BASE COURSE 180°, BASE SPEED 6.7 KTS. COMMENCED FIRING. 1116 CHECKED FIRE. 4 ROUNDS EXPENDED, BORE CLEAR, NO CASUALTIES. 1119 COMMENCED FIRE. 1122 CEASED FIRE. 8 ROUNDS EXPENDED, BORE CLEAR. NO CASUALTIES. COMPLETED EXERCISE Z-21-G. 1125 COMMENCED PRACTICE EXERCISE Z-27-G. COMMENCED FIRE. 1127 CEASED FIRE; 6 ROUNDS EXPENDED, BORE CLEAR, NO CASUALTIES. COMPLETED EXERCISE Z-27-G. 1128 C/S TO 12.3 KTS C/C TO 000°. 1131 C/S TO 13.3 KTS. 1136 MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP. C/C TO 350°. 1141 SECURED FROM GENERAL QUARTERS.

[signature], ENS, USNR.

12-16: UNDERWAY AS BEFORE. 1205 ENS SWAN ASSUMED THE CONN. 1240 CWO HAFFEY ASSUMED THE COND. 1313 ENS SWAN ASSUMED THE CONN, 1336 SET ANCHOR DETAIL ON FORECASTLE. 1338 CAPTAIN ASSUMED THE CONN. 1340 EXERCISING, AT Z-14-CC — RADAR ASSISTANCE TO PILOTING. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH APPROACH TO ANCHORAGE EIGHT (8), SOUTH HONOLULU OPERATING AREA; BASE COURSE 028°. 1353 ENTERED INLAND WATERS. 1406 SECURED FROM EXERCISE Z-14-CC. C/S TO 12.3 KTS. 1409 C/C TO 230°. 1414 C/C TO 270°. 1416 ENS SWAN ASSUMED THE CONN. ENTERED INTERNATIONAL WATERS. 1427 C/C TO 276°; SET THE SPECIAL SEA AND ANCHOR DETAIL. 1427 C/S TO 8 KTS. 1434 C/C TO 338°. 1446 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 19 (Date) JUNE (Month), 19 62

12-16 (CONTINUED) CONFORM WITH PEARL HARBOR CHANNEL. PASSED BOUY NUMBER 2 ABEAM TO STARBOARD; DISTANCE 190 YARDS. 1504 MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII. 1517 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

H. L. [illegible], ENS, USNR

16-20: MOORED AS BEFORE 1805 SET MATERIAL CONDITION YOKE.

H. L. [illegible], ENS, USNR.

20-24: MOORED AS BEFORE

H. L. [illegible], ENS, USNR.

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 20 (Date) JUNE (Month), 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	4	6	SCT	30.01	77	76	4	350	SC			
02	045	3	6	SCT	30.01	76	75	4	350	SC			
03	050	3	6	SCT	30.01	76	75	3	350	SC			
04	050	3	6	SCT	30.00	74	73	3	350	SC			
05	050	3	6	SCT	30.01	74	73	3	350	SC			
06	050	3	7	SCT	30.01	74	73	3	350	SC			
07	050	3	7	SCT	30.01	73	72	3	350	SC			
08	120	3	7	CLR	30.01	77	76	1	350	ST			
09	180	2	7	SCT	30.01	79	77	3	700	SC			
10	190	3	7	SCT	30.01	80	78	3	700	SC			
11	190	5	7	SCT	30.01	80	78	4	700	SC			
12	195	5	7	SCT	30.01	82	74	4	2500	AC			
13	195	5	7	SCT	30.01	82	75	4	2450	AC			
14	120	10	7	SCT	29.99	80	75	3	2150	AC			
15	125	10	7	SCT	29.99	82	74	4	2500	AC			
16	125	9	7	SCT	29.98	82	74	4	2500	AC			
17	125	9	7	SCT	29.98	82	74	4	2500	AC			
18	120	8	7	SCT	29.96	82	74	4	2500	AC			
19	120	2	7	SCT	30.00	79	74	4	2100	AC			
20	120	2	7	SCT	30.00	78	72	4	2100	AC			
21	120	2	7	SCT	30.00	78	72	4	2100	CU			
22	120	2	6	SCT	30.01	77	72	3	1750	CU			
23	120	2	6	SCT	30.01	77	72	3	1750	CU			
24	140	2	6	SCT	30.02	76	71	2	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

~~00-04~~: MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC ~~FLEET~~ FLEET, YARD, AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[signature], ENS, USNR.

APPROVED: [signature] LCDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 20 (Date) JUNE (Month), 1962

0800-1200 MOORED AS BEFORE. 0835 RECIEVED DAILY MAGAZINE INSPECTION REPORTS, MAGAZINES & SMOKELESS POWDER SAMPLES CONDITIONS NORMAL.

Leslie E. Horton
Ens. USN

12-16 MOORED AS BEFORE 1550 COMMENCED TAKING ON FRESH WATER.

Leslie E. Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1630 SECURED TAKING ON FRESH DRAFT. FWD. 14' AFT 16'2" 1800 SET MATERIAL CONDITION YOKE SECOND DECK AND BELOW

Leslie E. Horton
Ens USN

20-24 MOORED AS BEFORE

Leslie E. Horton
Ens USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE THURSDAY (Day) 21 (Date) JUNE (Month), 19 69

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	2	6	SCT	30.03	76	71	2	1750	CU			
02	140	3	6	SCT	30.02	75	71	2	1400	CU			
03	145	3	6	SCT	30.02	74	71	2	1050	CU			
04	145	2	6	SCT	30.02	73	70	2	1050	CU			
05	150	2	6	SCT	30.02	73	70	2	1050	CU			
06	150	2	6	SCT	30.01	74	71	2	1050	CU			
07	145	3	7	SCT	30.01	74	71	2	1050	CU			
08	030	7	7	SCT	30.04	81	73	3	2800	AC			
09	050	10	7	SCT	30.04	82	73	3	3150	AC			
10	060	7	7	SCT	30.04	84	74	3	3500	AC			
11	115	8	7	SCT	30.04	80	73	2	2450	AC			
12	140	8	7	SCT	30.02	80	75	2	1750	AC			
13	135	5	7	SCT	30.02	82	75	3	2450	AC			
14	100	4	7	SCT	30.01	84	76	3	2800	AC			
15	080	2	7	SCT	30.01	86	76	4	3500	CC			
16	080	2	7	SCT	29.99	87	77	4	3500	CC			
17	080	2	7	SCT	29.99	89	79	4	3500	CC			
18	080	2	7	SCT	29.99	90	80	4	3500	CC			
19	065	3	7	SCT	30.00	85	77	4	3500	CC			
20	050	5	7	SCT	30.02	80	76	4	1400	AC			
21	090	5	6	SCT	30.03	78	75	3	1050	CU			
22	070	3	6	SCT	30.04	78	76	2	700	CU			
23	035	3	6	SCT	30.04	77	75	2	700	CU			
24	035	3	6	SCT	30.04	77	75	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored Port side to Berth Alfa-5. U. S. Naval Station Pearl Harbor, Hawaii with standard Nylon mooring lines doubled up. Relieving miscellaneous service from AS pier. Material Condition Yoke set. Ships present included various ships and units of the U. S. Pacific Fleet, Yard and district Craft. Ship is COMSERVPAC ready duty ship. SOPA is Commander in Chief U. S. Pacific Fleet.

J. A. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Mustered crew at Quarters for muster and inspection; Absentees none.

J. A. Hoffey CWO U.S.N.

APPROVED: [signature] Lt LCDR U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 21 (Date) JUNE (Month), 19 62

08-12. Moored as before. 0841 Made daily inspection of magazine and samples powder sample; Condition normal.

J. Hoffey CWO U.S.N.

12-16. Moored as before

J. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Set Material Condition "Yoke" second deck and below 1808. Mustered duty section party. Absentees none.

J. Hoffey CWO U.S.N.

20-24. Moored as before

J. Hoffey CWO U.S.N.

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 22 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	5	6	SCT	30.03	76	74	2	700	CU			
02	045	5	6	SCT	30.03	76	73	2	1050	CU			
03	050	5	6	SCT	30.04	77	73	4	1400	CU			
04	055	5	6	SCT	30.05	78	74	3	1400	CU			
05	040	3	6	SCT	30.06	79	75	3	1400	CU			
06	040	3	7	SCT	30.03	75	70	3	1750	CU			
07	045	3	7	SCT	30.03	75	70	3	1750	CU			
08	045	2	7	SCT	30.03	76	71	3	1750	CU			
09	045	2	7	SCT	30.04	86	81	4	1750	CU			
10	045	1	7	SCT	30.04	86	81	3	1750	CU			
11	045	1	7	SCT	30.04	86	81	3	1750	CU			
12	050	2	7	SCT	30.03	83	76	3	2450	AC			
13	100	3	7	SCT	30.03	81	74	3	2450	AC			
14	100	3	7	SCT	30.03	80	73	3	2450	AC			
15	110	3	7	SCT	30.01	83	74	3	3150	AC			
16	330	3	7	SCT	30.00	82	78	4	3500	CC			
17	350	3	7	SCT	29.99	83	74	5	3150	CC			
18	350	4	7	BKN	29.99	83	75	7	2800	CC			
19	095	4	7	BKN	30.00	80	75	8	1750	AC			
20	030	4	7	BKN	30.00	80	75	7	1750	AC			
21	040	3	7	SCT	30.02	79	74	5	1750	AC			
22	035	3	6	SCT	30.02	79	74	5	1750	CU			
23	035	4	6	BKN	30.02	78	73	6	1400	CU			
24	040	4	6	BKN	30.02	77	73	6	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored port side to Berth Alfa-5 U.S. Naval Station Pearl Harbor, Hawaii, with standard nylon mooring lines doubled up. Receiving miscellaneous services from the pier. Material Condition Yoke set. Ships present include various ships and units of the U.S. Pacific Fleet, local and district craft. SOPA is Commander in Chief U.S. Pacific Fleet. Ship in COMSERVPAC ready duty ship.

J.E. Hoffey CWO USN.

04-08. Moored as before. 0750 Muster Crew at Quarters for muster and inspection; absentees none.

J.E. Hoffey CWO U.S.N.

APPROVED: L. LCDR U. S. N. COMMANDING

EXAMINED: A.L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 22 (Date) June (Month), 1962

08-12 Moored as before. 0840 Commenced pumping bilge. 0910 Secured from pumping exercise. 1000 made daily inspection of magazine and smokeless powder sampler; Conditions normal. Made weekly of magazine sprinkling system; Condition satisfactory.

R. L. Walker
LtJG USN

12-16 Moored as before. 1400 Commenced Captains gone inspection. 1500 Secured from Captains gone inspection.

R. L. Walker
LtJG USN

16-20 Moored as before. 1602 Commenced taking on fresh water. 1625 Secured taking on fresh water. Draft: Fwd 14'0" Aft 16'3". 1800 Set Material Condition Yoke record deck and below.

R. L. Walker
LtJG USN

20-24 Moored as before.

R. L. Walker
LtJG USN

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 23 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	6	SCT	30.02	77	73	5	1400	CU			
02	040	2	6	SCT	30.02	75	72	5	1050	CU			
03	050	2	6	SCT	30.00	74	71	4	1050	CU			
04	050	2	6	SCT	30.00	74	71	4	1050	CU			
05	055	3	6	SCT	29.99	73	70	4	1050	CU			
06	055	3	6	SCT	29.99	74	70	5	1400	CU			
07	060	3	7	SCT	29.99	76	72	5	1400	CU			
08	345	3	7	SCT	29.99	78	74	5	1400	CU			
09	345	3	7	SCT	30.00	80	75	4	1750	AC			
10	350	3	7	SCT	30.00	80	75	4	1750	AC			
11	005	4	7	SCT	29.99	82	75	3	2450	AC			
12	035	6	7	SCT	29.97	84	75	3	3150	AC			
13	035	6	7	SCT	29.93	84	75	3	3150	AC			
14	035	6	7	SCT	29.94	84	75	3	3150	AC			
15	035	6	7	SCT	29.93	84	75	3	3150	AC			
16	035	2	7	SCT	29.91	84	75	3	3150	CC			
17	035	3	7	SCT	29.91	83	73	4	3500	CC			
18	035	2	7	SCT	29.90	83	73	5	3500	CC			
19	035	3	7	SCT	29.91	82	73	5	3150	CC			
20	040	6	7	SCT	29.94	82	73	4	3150	CC			
21	040	4	7	SCT	29.94	82	73	4	3150	CI			
22	040	3	6	SCT	29.94	82	73	3	3150	CI			
23	040	3	6	SCT	29.94	81	72	3	3150	AC			
24	040	3	6	SCT	29.94	80	72	4	2300	CC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to berth A-5 U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition Yoke is set aboard ship and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is CinCPac Flt.

R. L. Walker
LTJG USN

04-08 Moored as before. 0714 USS ZUPAN (ATF-85) moored alongside to starboard.

R. L. Walker
LTJG USN

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 23 (Date) JUNE (Month), 19 62

ØØ-12: MOORED AS BEFORE. ØØØ1 MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. 112Ø MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H.K. Swan, ENS, USNR.

12-16: MOORED AS BEFORE.

H.K. Swan, ENS, USNR.

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

H.K. Swan, ENS, USNR.

2Ø-24: MOORED AS BEFORE.

H.K. Swan, ENS, USNR.

APPROVED:

LCDR U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 24 (Date) JUNE (Month), 1962

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	6	SCT	29.94	80	73	4	2450	AC			
02	040	3	6	SCT	29.95	79	72	4	2450	AC			
03	035	2	6	SCT	29.95	79	72	4	2450	AC			
04	035	2	6	SCT	29.95	79	72	4	2450	AC			
05	035	3	6	SCT	29.94	79	72	4	2450	AC			
06	040	3	6	SCT	29.94	80	75	5	1750	CU			
07	040	4	7	SCT	29.96	80	75	5	1750	CU			
08	040	4	7	SCT	29.98	82	76	3	1750	CU			
09	045	4	7	SCT	29.99	84	76	5	2500	AC			
10	045	4	7	SCT	29.99	84	76	5	2500	AC			
11	050	5	7	SCT	29.99	85	77	5	2500	AC			
12	060	5	7	SCT	29.97	85	77	5	2500	AC			
13	055	5	7	SCT	29.96	89	79	5	3500	CC			
14	055	5	7	SCT	29.95	93	83	4	3500	CC			
15	055	5	7	SCT	29.95	94	84	4	3500	CC			
16	085	2	7	SCT	29.95	90	80	4	3500	CI			
17	085	2	7	SCT	29.95	88	78	4	3500	CI			
18	070	3	7	SCT	29.95	86	76	4	3500	CI			
19	045	4	7	SCT	29.94	85	75	5	3500	CI			
20	045	4	7	SCT	29.94	83	74	5	3250	CC			
21	045	4	6	SCT	29.95	82	73	3	3250	CC			
22	050	4	6	SCT	29.95	82	72	3	3500	CC			
23	050	4	6	SCT	29.98	81	72	3	3250	CC			
24	050	4	6	SCT	29.97	80	73	4	2750	AC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE(A-5), U.S NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR(4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H. L. Johnson, ENS, USNR

04-08: MOORED AS BEFORE.

H. L. Johnson, ENS, USNR

APPROVED: L. L. LCDR U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CATF-96) SUNDAY (Day) 24 (Date) JUNE (Month), 19 62

08-12. Moored as before. 0800 Mustered duty section on station; absentees none. 1107 Made daily inspection of magazine and smokeless powder samples; condition normal.

J.E. Hoffey CWO.

12-16. Moored as before. 1201 Ship in in Readiness Condition Emergency Team "Fast Pace" Simulated.

J.E. Hoffey CWO U.S.N.

16-20 Moored as before. 1800 Set Material Condition Yoke second deck and below.

J.E. Hoffey CWO U.S.N.

20-24. Moored as before.

J.E. Hoffey CWO U.S.N.

APPROVED:

[signature] CDR U. S. N. COMMANDING

EXAMINED:

[signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE: 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 25 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	6	Set	29.98	80	73	5	2450	AC			
02	050	4	6	Set	29.98	77	72	5	1750	CU			
03	045	4	6	Set	29.98	76	72	5	1400	CU			
04	055	3	6	Set	29.98	76	72	3	1400	CU			
05	050	5	6	Set	29.97	76	72	3	1400	CU			
06	035	2	7	Set	29.98	76	73	3	1050	CU			
07	035	5	7	Set	29.99	78	73	2	1750	CU			
08	035	8	7	Set	30.00	80	73	2	2450	CU			
09	050	7	7	Set	30.00	81	74	2	2450	AC			
10	050	6	7	Set	30.01	81	74	2	2450	AC			
11	050	7	7	Set	30.01	81	74	4	2450	AC	82	055	2
12	070	7	7	Set	30.01	80	74	4	2100	AC	82	065	2
13	090	8	7	Set	30.01	79	75	4	1400	CU	82	085	3
14	065	9	7	Set	30.00	81	76	4	1750	CU	82	070	3
15	070	9	7	Set	30.00	86	76	4	3500	CC	82	070	3
16	080	8	7	Set	29.97	84	75	4	3150	CC	82	075	3
17	065	14	7	Set	29.96	83	74	4	3150	CC	82	070	3
18	065	12	7	Set	29.97	82	75	3	2450	CC	82	065	2
19	070	10	7	Set	29.98	82	75	3	2450	AC			
20	030	3	6	Set	30.00	78	75	3	1050	AC			
21	010	3	6	Set	30.01	77	74	3	1050	CU			
22	010	3	6	Set	30.01	77	74	3	1050	CU			
23	080	4	6	Set	30.02	77	73	3	1400	CU			
24	015	4	6	Set	30.01	76	73	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored port side to Berth Alfa-5. U.S. Naval Station, Pearl Harbor, Hawaii, with Standard Nylon mooring lines doubled up. U.S.S. Lipan (CVTE-85) moored alongside to starboard with standard mooring lines. Receiving miscellaneous services from ship's pers. Material Condition Yoke set. Ships present include ships and units of the U.S. Pacific Fleet, Guard and district craft. Ship in SERVPAC ready duty ship. Ship is in Readiness Condition Special Item. "Fast Pace" Simulated. SOPA is Commander in Chief U.S. Pacific Fleet.

J.E. Hoffey CWO U.S.N.

04-08. Moored as before. 0750 Muster Crew at quarters for muster and inspection, absentees none.

J.E. Hoffey CWO

APPROVED: CDR U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 25 (Date) June (Month) 1962

08-12 Moored as before. 0820 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1004 Stationed the special sea and anchor detail. 1041 Underway in accordance with Com Flt Tra Grp Op Ord 26-62 with S/O sled 564 in tow Maneuvering on various courses at various speeds to clear berth and stand out of harbor. 1109 Passed buoy #1 abeam to starboard, range 125 yds. Set course 153° speed 8.2 kts. Target streamed to 800' 1111 Secured the special sea and anchor detail set the regular underway watch. ℄c to 180° 1117 ℄c to 190° ℄s to 9.2 kts. 1116 ℄c to 200° ℄s to 10 kts. 1117 ℄s to 11 kts 1118 ℄s to 11.8 kts. 1120 Entered Intercoastal waters ℄c to 203°

R. L. Walker
LTJG USN

12-16 Underway as before 1306 ℄c to 225° 1320 ℄c to 240° ℄s to 9.5 kts. 1324 Commenced gaying out target. 1334 ℄c to 245 1344 Completed gaying out target with 3600' of wire. 1346 Target sounded ℄s to Back Full 1347 ℄s to ϕ. Target surfaced speed down. Maneuvering on various courses at various speeds to right target. 1420 Completed righting target. Set base course 065°, speed 6.7 kts. Gaying out target. 1435 Completed gaying out target with 3600' of wire. Commenced gunnery exercise with U.S.S. Chipola (AO-63). 1515 Steering repeater failed shifted steering to magnetic compass on course 051° mag.

R. L. Walker
LTJG USN

16-20 Underway as before. 1605 Completed exercise with U.S.S. Chipola (AO-63). Commenced steering in target to 800'. 1610 ℄c to 046° mag 1613 ℄c to 036° mag. 1615 ℄c to 026 mag. & 1617 ℄c to 020° mag ℄s 7.7 kts. Completed steering in target. 1626 ℄s to 11.3 kts. 1704 ℄c to 005° mag. 1747 ℄c to 019° mag 1800 ℄c to 015° mag. 1810 Stationed the special sea and anchor detail 1819 ℄c to 005° mag. Commenced steering various courses at various speeds to enter port and moor to pier in berth A-5. 1826 Entered Inland water. 1837 Passed buoy #2 abeam to starboard. 150 yds distant. 1901 Moored port side to berth A-5 U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. 1905 YT-166 came alongside to port. 1908 Secured the Special Sea and Anchor detail, set regular in port watch. 1909 YT-166 and S/O sled 564 departed.

R. L. Walker
LTJG USN

20-24 Moored as before. 2000 Set Material Condition Yoke secured deck and below.

R. L. Walker
LTJG USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: R. L. Walker U.S.N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 26 (Date) June (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	5	6	Set	30.00	76	74	8	700	SC			
02	085	5	6	Set	30.00	76	74	3	700	SC			
03	080	5	6	Set	30.00	76	74	3	700	SC			
04	085	5	6	Set	30.00	76	73	3	1050	CU			
05	090	5	6	Set	30.00	76	73	3	1050	CU			
06	090	4	7	Set	30.00	76	74	3	700	CU			
07	090	4	7	Set	30.01	77	74	3	1050	CU			
08	100	5	7	Set	30.01	79	75	3	1400	CU			
09	110	6	7	Set	30.00	80	76	3	1400	CU	80	105	8
10	250	9	7	Set	30.00	81	77	3	1400	CU	80	300	3
11	090	9	7	Set	30.00	83	79	3	1400	CU	81	095	3
12	095	10	7	Set	30.00	84	81	3	1050	CU	81	050	3
13	090	7	7	Set	29.99	84	79	3	700	CU			
14	090	3	7	Set	29.98	85	83	3	700	CU			
15	090	3	7	Set	29.98	85	82	3	1050	CU			
16	090	6	7	Set	29.95	89	84	3	1750	CU			
17	090	6	7	Set	29.95	87	83	4	1400	CU			
18	095	8	7	Set	29.95	85	82	4	1050	CU			
19	090	10	7	Set	29.95	83	80	4	1050	CU			
20	095	6	7	Set	29.95	83	79	4	1050	CU			
21	095	6	6	Set	29.96	80	77	4	1050	SC			
22	090	5	6	Set	29.97	78	76	5	700	SC			
23	085	4	6	Set	29.97	77	76	4	350	SC			
24	090	3	6	Set	29.97	77	76	4	350	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to in berth A-5 U.S. Naval Station Pearl Harbor Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition Yoke in set Second deck and below. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

A. L. Walker
LtJG USN

04-08 Moored as before. 0740 Mustered the crew at quarters; Absentees: none. 0747 Stationed the special sea and anchor detail.

A. L. Walker
LtJG USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: A. L. Walker U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 26 (Date) JUNE (Month), 19 62

0800-1200 UNDERWAY FROM BERTH ALPHA #5 PEARL HARBOR HAWAII IN ACCORDANCE WITH PORT CONTROL MSG 261744Z OF JUNE 1962. MANEVERING ON VARIOUS COURSES & SPEEDS TO CLEAR BERTH. 0818 PASSED BOUY #9 ABEAM TO STBD APROX 150 YDS. MANEVERING ON VARIOUS COURSES & SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. 0820 PASSED BOUY #7 ABEAM TO STBD, APROX 120 YDS. 0822 PASSED BOUY #5 ABEAM TO STBD APROX 140 YDS. 0825 PASSED BOUY #3 ABEAM TO STBD, APROX 230 YDS. 0830 PASSED BOUY #1 ABEAM TO STBD, APROX 120 YDS. 0831 C/S A/S TOOK NO 2 AND 3 MAIN GENERATORS OUT OF THE LOOP. SHIFTED ENGINE CONTROL TO ENGINE ROOM C/S A/A FULL. 0832 SECURED NO 2 AND 3 MAIN GENERATORS. 0833 C/C 145° PGC 0836 SECURED SPECIAL SEA DETAIL. SET UNDERWAY WATCH. 0843 ENTERED INTERNATIONAL WATERS. 0845 C/C TO 101° 0846 COMMENCED SWING SHIP. STEERING VARIOUS COURSES TO COMPENSATE MAGNETIC COMPASS. 0855 C/S TO 60 RPM 7.7 KNOTS. 0913 C/S TO 20 RPM 2.4 KNTS 1030 ~~RECEIVED~~ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. JCH

Leslie E Horton Cha.

12-16 UNDERWAY AS BEFORE 1200 SECURED SWING SHIP. MOTOR ROOM STARTED NO. 2 AND 3 MAIN ENGINES. 1215 NO 2 + NO 3 MAIN GENERATORS PUT IN LOOP C/S TO 38 RPM 5 KNTS. ~~SET~~ 1221 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1223 C/S TO 75 RPM - 9.5 KNTS 1230 C/C 335° 1231 C/C 340° 1232 C/S A/S SHIFTED ENGINE CONTROL TO BRIDGE. C/S TO 75 RPM 9.5 KNTS. 1235 C/C TO 330 1236 ENTERED INLAND WATERS. STEERING VARIOUS COURSES + SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. 1245 PASSED BOUY #2 ABEAM TO STBD APPROX 100 YDS 1249 PASSED BOUY #4 ABEAM TO STBD - APROX 120 YDS. 1256 PASSED BOUY 6 ABEAM TO STBD - APROX 140 YDS. 1300 MANEUVERING ON VARIOUS COURSES + SPEED TO APPROACH BERTH ALPHA 5 PEARL HARBOR HAWAII. 1309 MOORED PORT SIDE TO BERTH ALPHA 5 US NAVAL STATION. PEARL HARBOR HAWAII WITH 4 NYLON MOORING LINES DOUBLED. 1316 SECURED SPECIAL SEA AND ANCHOR DETAIL. SET IN PORT WATCH.

Leslie E Horton Cha USN.

16-20 MOORED AS BEFORE 1800 SET CONDITION YOKE SECOND DECK + BELOW

Leslie E Horton Cha USN

20-24 MOORED AS BEFORE 2145 TUG NS15 DELIVERED TARGET SLED NO 557 ALONGSIDE TO STBD.

Leslie E Horton Cha USN

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: R L Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 27 (Date) JUNE (Month), 1962 JCH

AT ~~PASSAGE FROM~~ U.S. NAVAL STATION PEARL HARBOR ~~TO~~ HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	4	6	SCT	29.98	78	77	4	350	SC			
02	045	4	6	SCT	29.98	78	77	4	350	SC			
03	045	3	6	SCT	29.98	78	75	4	1050	SC			
04	045	3	6	SCT	29.98	77	74	4	1050	SC			
05	045	2	6	SCT	29.98	76	71	4	1750	CU			
06	045	3	7	SCT	29.95	76	69	4	2450	CU			
07	100	10	7	SCT	29.94	80	73	3	2450	CU			
08	100	19	7	SCT	29.94	80	75	3	1750	CU			
09	090	19	7	SCT	29.94	83	80	3	1050	CU	83	090	2
10	090	18	7	SCT	29.94	80	74	3	2100	CU	83	090	2
11	090	18	7	SCT	29.94	80	74	4	2100	CU	83	080	2
12	095	15	7	SCT	29.94	81	75	4	2100	AC	83	075	3
13	100	15	7	SCT	29.94	81	73	4	2500	AC	83	075	3
14	040	12	7	SCT	29.91	81	73	5	2800	AC	83	065	3
15	080	10	7	SCT	29.90	81	71	5	3500	CC	83	045	3
16	025	21	7	BKN	29.88	80	72	7	2500	CC	82	025	3
17	035	16	7	BKN	29.89	80	71	8	3150	CI			
18	045	13	7	BKN	29.90	80	73	8	2450	CC			
19	045	10	7	BKN	29.91	80	74	8	2200	AC			
20	050	10	7	BKN	29.91	80	74	7	2200	AC			
21	050	10	6	BKN	29.91	80	73	7	2450	AC			
22	050	3	6	BKN	29.93	78	71	6	2450	AC			
23	050	3	6	BKN	29.93	77	70	6	2450	AC			
24	050	3	6	BKN	29.93	78	72	6	2200	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALPHA FIVE (5) U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH 4 STANDARD MOORING LINES DOUBLED. RECIEVING FRESH WATER AND TELEPHONE SERVICE FROM PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACFIC FLEET AND VARIOUS YARD AND DISTRICT CRAFT. CONDITION YOKE IS SET SECOND DECK AND BELOW. SOPA IS CINCPACFLT.

Leslie E Horton Ens USN

04-08 MOORED AS BEFORE. 0550 MUSTERED CREW ON STATIONS: ABSENTEES NONE. 0600 SET SPECIAL SEA DETAIL. 0607 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0612 UNDERWAY IN ACCORDANCE WITH COMFLTTRAGRP OPORD 26-62. TARGET SLED 557 IN TOW. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0619 COMMENCED STREAMING TARGET SLED 0623 PASSED BOUY NO. 9 ABEAM TO STBD. APROX 180 YDS. 0625 PASSED BOUY NO 7 ABEAM TO STBD. APROX 150 YDS 0627 PASSED BOUY NO. 5 ABEAM

APPROVED: LCDR U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) WEDNESDAY (Day) 27 ~~28~~ (Date) JUNE (Month) 1962

0400-0800 (CONT) TO STBD, APROX 140 YDS 0630 PASSED BOUY NO 3 ABEAM TO STBD, APROX 200 YDS 0637 PASSED BOUY NO 1 ABEAM TO STBD APROX 180 YDS. SECURED ANCHORS FOR SEA. 0638 C/S - A/S. TOOK NO 4 MAIN GENERATOR OUT OF PROPULSION LOOP. SHIFTED CONTROL TO ENGINE ROOM C/S - A 2/3. 0643 STREAMED TARGET TO 1000 FT. C/C 150°T 0648 C/S A-90RPM. 11.3KNTS. 0650 ENTERED INTERNATIONAL WATERS

Leslie E Horton Lcdr USN

0800-1200: UNDERWAY AS BEFORE. 0836 C/C TO 170°. 0853 LTJG WALKER ASSUMED THE CONN. 0855 ENS HORTON ASSUMED THE CONN. 0859 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1010 C/S TO 8.9 KTS. C/C TO 085°. 1017 STREAMED TARGET TO 3600 FEET. 1020 C/S TO 7.7 KTS. 1031 C/S TO 9 KTS. 1034 COMMENCED SCHEDULED EXERCISE Z-21-G WITH U.S.S. WHITEHURST (DE 634), OCE, ON BASE COURSE 085°, BASE SPEED 9 KTS. 1103 C/S TO 6.7 KTS. 1104 C/S TO 5.2 KTS. 1116 C/S TO 6.7 KTS. 1117 C/S TO 7.7 KTS. 1130 C/S TO 265°. C/S TO 9.5 KTS. 1145 ENS SWAN ASSUMED THE CONN.

A.F. Swan, ENS, USNR

1200-1600: UNDERWAY AS BEFORE. 1217 COMPLETED EXERCISE Z-21-G WITH U.S.S. WHITEHURST (DE-364) OCE. 1220 U.S.S. WALTON (DE-361) ASSUMED TACTICAL COMMAND OF THIS VESSEL. 1223 C/C TO 070 PSTGC. 1246 COMMENCED SCHEDULED EXERCISE Z-21-G WITH U.S.S. WALTON (DE-361) OCE ON BASE COURSE 070° PSTGC, BASE SPEED 9.5 KTS. 1319 COMPLETED EXERCISE Z-21-G WITH U.S.S WALTON (DE-361) OCE. ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. COMMENCED HEAVING TARGET IN TO 1000 FT. C/S TO 6.7 KTS. 1325 C/C TO 050°. 1327 C/C TO 030°. 1336 C/C TO 335° C/S TO 8.9 KTS. 1344. C/S TO 11.3 KTS C/C TO 320°. 1409 C/C TO 335°. 1441 C/C TO 340°.

A.F. Swan, ENS, USNR

1600-2000: UNDERWAY AS BEFORE. 1602 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. 1619 ENS HORTON ASSUMED THE CONN. 1630 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: HAMILTON, J.D., 542-73-06, GN3, USN, OFFENSE DRUNK & DISORDERLY. PUNISHMENT: RESTRICTION TO THE LIMITS OF THE SHIP FOR TWO(2) WEEKS. 1636 C/C TO 336°. 1640 SET THE SPECIAL ~~[illegible]~~ SEA AND ANCHOR DETAIL. 1642 C/S TO 10.1 KTS. 1645 CAPTAIN ASSUMED THE CONN. 1643 COMPLETED MAKING PREPARATIONS FOR ENTERING PORT. 1653 C/S TO 8.5 KTS. 1654 C/S TO 8.9 KTS. 1713 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. PASSED BOUY NUMBER 2 ABEAM TO STARBOARD, DISTANCE 150 YARDS. 1737 MOORED PORT SIDE TO BERTH ALFA-FWE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII. 1742 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. TUG NS-15 TOOK TARGET FROM ASTERN.

A.F. Swan, ENS, USNR.

2000-2400: MOORED AS BEFORE.

A.F. Swan, ENS, USNR

APPROVED: [signature] LCDR U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 28 (Date) JUNE (Month), 1962

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	060	6	6	BKN	29.98	77	73	6	1400	CU			
02	060	3	6	SCT	29.98	76	73	5	1050	CU			
03	035	5	6	SCT	29.98	75	72	5	1050	CU			
04	040	5	6	BKN	29.93	75	72	6	1050	CU			
05	040	5	6	BKN	29.91	75	72	8	1050	CU			
06	040	5	6	BKN	29.98	75	72	6	1050	CU			
07	080	5	7	BKN	29.94	76	73	6	1050	CU			
08	075	6	7	BKN	29.94	78	73	8	1750	CU	83	070	2
09	070	6	7	BKN	29.94	79	75	7	1400	CU	83	070	3
10	070	6	7	BKN	29.94	80	76	7	1400	CU	83	070	3
11	080	6	7	BKN	29.94	80	76	7	1400	CU	83	075	3
12	080	10	7	BKN	29.94	81	77	7	1400	CU	83	075	2
13	080	12	7	BKN	29.93	82	77	7	1750	CU			
14	070	10	7	BKN	29.92	85	78	7	2450	CU			
15	055	9	7	BKN	29.92	87	80	7	2450	AC			
16	045	8	7	BKN	29.91	88	80	7	2800	AC			
17	040	8	7	BKN	29.91	88	80	7	2800	AC			
18	040	8	7	BKN	29.91	88	82	6	2100	AC			
19	060	4	7	BKN	29.93	84	77	6	2450	AC			
20	065	6	6	SCT	29.94	80	76	5	1400	CU			
21	065	6	6	SCT	29.90	79	76	5	1050	SC			
22	070	5	6	SCT	29.90	78	75	4	1050	SC			
23	070	4	6	SCT	29.90	78	75	3	1050	SC			
24	070	4	6	SCT	29.90	78	75	3	1050	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH FOUR (4) STANDARD MOORING LINES DOUBLED-UP. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS AND UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDER-IN-CHIEF, U.S. PACIFIC FLEET.

H. L. [illegible], GM3, USNR

04-08: MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0700 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0718 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU OPORD 26-62 CAPTAIN HAS THE CONN, NAVIGATOR IS ON THE BRIDGE. DRAFT FORWARD 13'3", AFT 16'0". STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. EXERCISING AT MAGNETIC PILOTING. 0734 PASSED BUOY NUMBER 3 ABEAM TO STARBOARD, DISTANCE 50 YARDS. 0737 C/C TO 139° PSTGC. 0742 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0744 C/C TO 152°. 0751 C/S TO 9.5 KTS. 0758 C/C

APPROVED: [signature] U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP _____ Thursday (Day) 28 (Date) June (Month), 1962

04-08 (CONTINUED) 281°; COMMENCED SWINGING SHIP.
A. L. Dixon, ENS, USNR

08-12. Underway as before. 0803 C/C 75°. Steering various courses while swinging ship. 0833 Steamed from swing ship C/S 2/3 30 RPM C. 7 kts. 0836 C/C 071° 0838 C/C 056°, 0840 C/C 041°, 0842 C/C 026°. 0843 Commenced scheduled exercise Z-7-C with U.S.A. Lansing (DER-388), maneuvering, making various courses and speed changes for scheduled exercise. 0848 Made Daily inspection of magazine and another power sample. Condition normal. 0910 completed scheduled exercise Z-7-C with U.S.A. Lansing (DER-388) 0945 Commenced scheduled exercise Z-13-C with U.S.A. Lansing (DER-388) maneuvering at various speed and course changes for scheduled exercise. 1040 completed scheduled exercise Z-13-C with U.S.A. Lansing (DER-388). 1046. Ship relieved by OCE. to proceed on duties assigned. 1049. C/C 090° Set the special sea and anchor detail. 1058 Commenced exercise Z-14-CC. Maneuvering on various courses at various speed as directed by CIC for approaches anchorage No 8. for Z-14-CC. 1119 Entered inland waters. 1136 Let go starboard anchor. 35 fathom of chain out in 28 fathom of water on mud bottom. 1141 Commenced heaving in anchor. 1148 anchor aweigh. 1157 Secured the anchor detail.

J. G. Hoffey CWO. USN

12-16. Underway as before. 1225 Set sea and anchor detail 1229 C/C 191°. 1230 Maneuvering on various courses at various speed changes to conduct Z-14-CC 1241 simulated visibility 100 yards C/S 6 kts. 1312 Let go stbd anchor. with 42 fathom of chain out in 72 fathom of water with gray mud Bottom. 1316 Commenced heaving in on anchor. 1312 Anchor aweigh. 1323 Commenced making preparation for entering port. 1332 entered international water. 1335 C/C 370°. 1345 Set special sea and anchor detail. 1332. Entered international waters. Captain conning Navigation on the bridge. 1351 Altering various courses at various speed to conform with Pearl Harbor Channel. Conducting Z-1-N exercise. 1354. Entered inland waters. 1428. degaussing tested satisfactory. 1301 maneuvering on various courses and various speed to go along side U.S.A. Tahelma (AFF-113) at berth Twelve 17. U.S. Naval Submarine Base, Pearl Harbor. 1509 Moored Port side to U.S.A. Tahelma (AFF-113) With standard mooring line. Set inport watch

J. G. Hoffey CWO U.S.N.

16-20. Moored as before. 1800 Set Material Condition Yoke.

J. G. Hoffey CWO U.S.N.

20-24. Moored as before

J. G. Hoffey CWO U.S.N.

APPROVED: _____ CDR U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Friday (Day) 29 (Date) June (Month), 1962

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	4	6	SCT	29.99	77	73	5	1400	CU			
02	065	4	6	SCT	29.94	77	73	4	1400	CU			
03	065	5	6	SCT	29.94	76	72	5	1400	CU			
04	065	4	6	SCT	29.95	76	71	5	1750	CU			
05	065	4	6	SCT	30.00	76	72	5	1400	CU			
06	070	4	6	SCT	29.98	76	72	5	1400	CU			
07	070	2	7	SCT	29.98	78	73	5	1750	CU			
08	070	2	7	SCT	29.98	79	74	5	1750	CU			
09	070	5	7	SCT	29.98	79	73	5	2100	AC			
10	070	3	7	SCT	30.00	82	74	5	2800	AC			
11	070	4	7	SCT	30.00	82	74	5	2800	AC			
12	060	5	7	SCT	30.00	82	76	5	2100	AC			
13	050	5	7	BKN	30.00	82	76	6	2100	AC			
14	060	7	7	BKN	29.98	85	75	7	3500	CI			
15	060	7	7	BKN	29.98	87	77	8	3500	CC			
16	090	8	7	BKN	29.96	93	78	8	4900	CI			
17	090	6	7	BKN	29.95	93	78	6	5250	CI			
18	105	4	7	BKN	29.95	87	75	6	4200	CI			
19	090	6	7	BKN	29.96	81	75	7	2100	AC			
20	090	5	6	BKN	29.97	80	75	8	1750	CU			
21	090	5	6	BKN	29.96	80	75	8	1750	CU			
22	080	5	6	BKN	29.96	80	75	8	1750	CU			
23	080	4	6	BKN	29.98	79	73	7	2100	CU			
24	080	4	6	BKN	30.00	78	75	6	1050	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04. Moored port side to U. S. S. Tahoma (AFT-113) with standard mooring (nylon) lines doubled up at Berth Number 17 U. S. Naval Submarine Base Pearl Harbor, Hawaii. Receiving miscellaneous service from the pier. Material condition Yoke set secured duck and below. Ships present include various ships and units of the U. S. Pacific Fleet, Yard and district Craft. SOPA is Commander in Chief U. S. Pacific Fleet.

J. A. Roffey CWO, USN

04-08. Moored as before. 0750 Mustered crew at Quarters for muster and inspection, absentees none.

J. A. Roffey CWO USN

APPROVED: U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 29 (Date) June (Month), 1962

08-12 Moored as before. 0850 Commenced taking on fuel from pier. 0953 made daily inspection of magazines and ammunition powder sampler. Condition: normal. Made weekly test of magazine sprinkling system. Condition: satisfactory. 1006 Completed taking on fuel. Draft: Fwd 13'6" Aft 16'-7" 1129 U.S.S. Mataco (ATF-86) moved alongside to starboard with standard mooring lines.

R. L. Walker
LTJG USN

12-16 Moored as before. 1514 U.S.S. Mataco (ATF-86) departed next. 1527 Commenced taking on fresh water.

R. L. Walker
LTJG USN

16-20 Moored as before. 1615 Secured from taking on fresh water Draft: Fwd 14'2" Aft 16'2" 1800 Set Condition Yoke aboard deck and below.

R. L. Walker
LTJG USN

20-24 Moored as before.

R. L. Walker
LTJG USN

APPROVED: [signature] CDR U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 30 (Date) June (Month), 1962

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	9	6	BKN	30.00	78	75	6	1050	CU			
02	080	9	6	BKN	30.00	78	73	6	1050	CU			
03	080	4	6	BKN	30.01	77	72	6	1750	CU			
04	080	6	6	BKN	30.01	77	73	6	1400	CU			
05	085	5	6	BKN	30.01	77	72	7	1750	CU			
06	090	5	6	BKN	30.01	77	72	6	1750	CU			
07	090	5	7	BKN	30.02	78	73	6	1750	CU			
08	090	9	7	BKN	30.04	80	74	6	2100	CU			
09	135	4	7	BKN	30.04	82	76	6	2100	CU			
10	060	11	7	SCT	30.04	84	77	5	2450	CU			
11	090	7	7	SCT	30.03	84	78	5	2100	CU			
12	090	7	7	SCT	30.03	85	77	4	2800	CU			
13	090	7	7	SCT	30.02	85	77	3	2800	CU			
14	090	7	7	SCT	30.00	83	76	3	2450	CU			
15	085	5	7	SCT	29.98	86	74	2	4900	AC			
16	080	5	7	SCT	29.98	85	73	3	4200	CC			
17	080	5	7	SCT	29.98	85	73	3	4900	CC			
18	075	4	7	SCT	29.98	83	72	4	3500	CC			
19	070	5	7	SCT	29.98	80	73	4	2450	CC			
20	080	5	7	SCT	29.98	79	73	3	2100	AC			
21	080	3	6	SCT	30.01	78	74	3	1400	CU			
22	080	5	6	SCT	30.02	78	74	3	1400	CU			
23	080	6	6	SCT	30.03	78	73	3	1750	CU			
24	080	6	6	SCT	30.03	78	73	3	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to U.S.S. Tekelma (ATF-113) at berth S-17 U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke in set second deck and below. Receiving fresh water and telephone service from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

R. L. Walker
Lt J6 USN

04-08 Moored as before 0750 Mustered the crew on stations, Absentees: none.

R. L. Walker
Lt J6 USN

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: R. L. Walker U. S. N. NAVIGATOR